

## BIBLIOGRAPHY

1. Rajagopal R, Padmanabhan S, Gnanamani J. A comparison of shear bond strength and debonding characteristics of conventional, moisture-insensitive, and self-etching primers in vitro. *Angle Orthod.* 2004;74:264-268.
2. Cacciafesta V, Sfondrini MF, De Angelis M, Scribante A, Klersy C. Effect of water and saliva contamination on shear bond strength of brackets bonded with conventional, hydrophilic, and self-etching primers. *Am J Orthod Dentofacial Orthop.* 2003;123:633-640.
3. Faltermeier A, Behr M, Rosentritt M, Reicheneder C, Mussig D. An in vitro comparative assessment of different enamel contaminants during bracket bonding. *Eur J Orthod.* 2007;29:559-563.
4. Oztoprak MO, Isik F, Sayinsu K, Arun T, Aydemir B. Effect of blood and saliva contamination on shear bond strength of brackets bonded with 4 adhesives. *Am J Orthod Dentofacial Orthop.* 2007;131:238-242.
5. Iijima M, Ito S, Yuasa T, Muguruma T, Saito T, Mizoguchi I. Bond strength comparison and scanning electron microscopic evaluation of three orthodontic bonding systems. *Dent Mater J.* 2008;27:392-399.
6. Buonocore M. A simple method of increasing the adhesion of acrylic filling materials to enamel surfaces. *J Dent Res.* 1955;38:849-853.
7. Newman G. Epoxy adhesives for orthodontics attachments: progress report. *Am J Orthod.* 1965;51:901-912.

8. Boyd RL, Baumrind S. Periodontal considerations in the use of bonds or bands on molars in adolescents and adults. *Angle Orthod.* 1992;62:117-126.
9. Bishara SE, Olsen ME, Damon P, Jakobsen JR. Evaluation of a new light-cured orthodontic bonding adhesive. *Am J Orthod Dentofacial Orthop.* 1998;114:80-87.
10. Brantley WA, Eliades T. Enamel Etching and Bond Strength Orthodontic Materials : *Scientific and clinical aspects* New York: Thieme; 2001. p. 112.
11. Surmont P, Dermaut L, Martens L, Moors M. Comparison in shear bond strength of orthodontic brackets between five bonding systems related to different etching times: an in vitro study. *Am J Orthod Dentofacial Orthop.* 1992;101:414-419.
12. Thanos CE, Munholland T, Caputo AA. Adhesion of mesh-base direct-bonding brackets. *Am J Orthod.* 1979;75:421-430.
13. Wickwire NA, Rentz D. Enamel pretreatment: a critical variable in direct bonding systems. *Am J Orthod.* 1973;64:499-512.
14. Lou L, Heo G, Nelson AE, Alsagheer A, Carey JP, Major PW. Chemical composition of enamel surface as a predictor of in-vitro shear bond strength. *Am J Orthod Dentofacial Orthop.* 2009;136:683-688.
15. Oesterle LJ, Shellhart WC, Belanger GK. The use of bovine enamel in bonding studies. *Am J Orthod Dentofacial Orthop.* 1998;114:514-519.
16. Rix D, Foley TF, Mamandras A. Comparison of bond strength of three adhesives: composite resin, hybrid GIC, and glass-filled GIC. *Am J Orthod Dentofacial Orthop.* 2001;119:36-42.

17. Campoy MD, Vicente A, Bravo LA. Effect of saliva contamination on the shear bond strength of orthodontic brackets bonded with a self-etching primer. *Angle Orthod* 2005;75:865-869.
18. Romano FL, Tavares SW, Nouer DF, Consani S, Borges de Araujo Magnani MB. Shear bond strength of metallic orthodontic brackets bonded to enamel prepared with Self-Etching Primer. *Angle Orthod*. 2005;75:849-853.
19. Turk T, Elekdag-Turk S, Isci D, Cakmak F, Ozkalayci N. Saliva contamination effect on shear bond strength of self-etching primer with different debond times. *Angle Orthod*. 2007;77:901-906.
20. Paschos E, Westphal JO, Ilie N, Huth KC, Hickel R, Rudzki-Janson I. Artificial saliva contamination effects on bond strength of self-etching primers. *Angle Orthod*. 2008;78:716-721.
21. Scougall Vilchis RJ, Yamamoto S, Kitai N, Yamamoto K. Shear bond strength of orthodontic brackets bonded with different self-etching adhesives. *Am J Orthod Dentofacial Orthop*. 2009;136:425-430.
22. Endo T, Ozoe R, Shinkai K, Aoyagi M, Kurokawa H, Katoh Y et al. Shear bond strength of brackets rebonded with a fluoride-releasing and -recharging adhesive system. *Angle Orthod*. 2009;79:564-570.
23. Mavropoulos A, Karamouzos A, Kolokithas G, Athanasiou AE. In vivo evaluation of two new moisture-resistant orthodontic adhesive systems: a comparative clinical trial. *J Orthod*. 2003;30:139-147; discussion 127-138.
24. Silverstone LM, Hicks MJ, Featherstone MJ. Oral fluid contamination of etched enamel surfaces: an SEM study. *J Am Dent Assoc*. 1985;110:329-332.

25. Grandhi RK, Combe EC, Speidel TM. Shear bond strength of stainless steel orthodontic brackets with a moisture-insensitive primer. *Am J Orthod Dentofacial Orthop.* 2001;119:251-255.
26. Buonocore MG, Matsui A, Gwinnett AJ. Penetration of resin dental materials into enamel surfaces with reference to bonding. *Arch Oral Biol.* 1968;13:61-70.
27. Galil KA, Wright GZ. Acid etching patterns on buccal surfaces of permanent teeth. *Pediatr Dent.* 1979;1:230-234.
28. Bishara SE, Oonsombat C, Soliman MM, Warren JJ, Laffoon JF, Ajlouni R. Comparison of bonding time and shear bond strength between a conventional and a new integrated bonding system. *Angle Orthod.* 2005;75:237-242.
29. Iijima M, Ito S, Yuasa T, Muguruma T, Saito T, Mizoguchi I. Effects of application time and agitation for bonding orthodontic brackets with two self-etching primer systems. *Dent Mater J.* 2009;28:89-95.
30. Zeppieri IL, Chung CH, Mante FK. Effect of saliva on shear bond strength of an orthodontic adhesive used with moisture-insensitive and self-etching primers. *Am J Orthod Dentofacial Orthop.* 2003;124:414-419.
31. Buyukyilmaz T, Usumez S, Karaman AI. Effect of self-etching primers on bond strength--are they reliable? *Angle Orthod.* 2003;73:64-70.
32. Hashimoto M, Ohno H, Yoshida E, Hori M, Sano H, Kaga M et al. Resin-enamel bonds made with self-etching primers on ground enamel. *Eur J Oral Sci.* 2003;111:447-453.
33. Vicente A, Toledano M, Bravo LA, Romeo A, De la Higuera B, Osorio R. Effect of water contamination on the shear bond strength of five orthodontic adhesives. *Med Oral Patol Oral Cir Bucal.*

34. Hormati AA, Fuller JL, Denehy GE. Effects of contamination and mechanical disturbance on the quality of acid-etched enamel. *J Am Dent Assoc.* 1980;100:34-38.
35. Eliades T, Eliades G, Brantley WA, Johnston WM. Polymerization efficiency of chemically cured and visible light-cured orthodontic adhesives: degree of cure. *Am J Orthod Dentofacial Orthop.* 1995;108:294-301.
36. Gronberg K, Rossouw PE, Miller BH, Buschang P. Distance and time effect on shear bond strength of brackets cured with a second-generation light-emitting diode unit. *Angle Orthod.* 2006;76:682-688.
37. Wiggins KM, Hartung M, Althoff O, Wastian C, Mitra SB. Curing performance of a new-generation light-emitting diode dental curing unit. *J Am Dent Assoc.* 2004;135:1471-1479.
38. Serra G, Brugnera A, Elias CN, Bolognese AM. Effect of argon laser curing on the shear bond strength of metal brackets bonded with light-cured glass ionomer cement. *Am J Orthod Dentofacial Orthop.* 2005;128:740-743; quiz 802.
39. Brantley WA, Eliades T. *Orthodontic Adhesive Resins and Composites: Principles of adhesion Orthodontic Materials : Scientific and clinical aspects* New York: Thieme; 2001.
40. Ibsen RL, Neville K. *Adhesive restorative dentistry.* Philadelphia Saunders; 1974.
41. Buonocore MG. *The use of adhesives in dentistry* Springfield, Illinois: Charles C. Thomas; 1975.
42. Roulet JF, DeGrange M. *Adhesion The Silent Revolution in Dentistry:* Quintessence Publishing Company; 2000.

43. Van Landuyt KL, Snauwaert J, De Munck J, Peumans M, Yoshida Y, Poitevin A et al. Systematic review of the chemical composition of contemporary dental adhesives. *Biomaterials*. 2007;28:3757-3785.
44. O'Donnell JNR, Schumacher GE, Antonucci JM, Skrtic D. Structure-Composition-Property Relationships in Polymeric Amorphous Calcium Phosphate-Based Dental Composites. *Materials*. 2009;2:1929-1954.
45. Brantley WA, Eliades T. Principle of Biocompatibility Orthodontic Materials : Scientific and clinical aspects New York: Thieme; 2001.
46. Guo X, Spencer P, Wang Y, Ye Q, Yao X, Williams K. Effects of a solubility enhancer on penetration of hydrophobic component in model adhesives into wet demineralized dentin. *Dent Mater*. 2007;23:1473-1481.
47. Geurtsen W, Leyhausen G. Chemical-Biological Interactions of the resin monomer triethyleneglycol-dimethacrylate (TEGDMA). *J Dent Res*. 2001;80:2046-2050.
48. Xie Y, Hill CAS, Xiao Z, Militz H, Mai C. Silane coupling agents used for natural fiber/polymer composites: A review. *Composites Part A: Applied Science and Manufacturing*;41:806-819.
49. van Noort R, Brown D, Clarke R, Combe EC, Curtis R, Lloyd CH et al. Dental materials: 1992 literature review. *J Dent*. 1994;22:5-28.
50. Pseiner BC, Freudenthaler J, Jonke E, Bantleon HP. Shear bond strength of fluoride-releasing orthodontic bonding and composite materials. *Eur J Orthod*. 2010.
51. Turkkahraman H, Adanir N, Gungor AY, Alkis H. In vitro evaluation of shear bond strengths of colour change adhesives. *Eur J Orthod*. 2010.


52. Yuasa T, Iijima M, Ito S, Muguruma T, Saito T, Mizoguchi I. Effects of long-term storage and thermocycling on bond strength of two self-etching primer adhesive systems. *Eur J Orthod*. 2009.
53. Meyer JM, Cattani-Lorente MA, Dupuis V. Compomers: between glass-ionomer cements and composites. *Biomaterials*. 1998;19:529-539.
54. Webster MJ, Nanda RS, Duncanson MG, Jr., Khajotia SS, Sinha PK. The effect of saliva on shear bond strengths of hydrophilic bonding systems. *Am J Orthod Dentofacial Orthop*. 2001;119:54-58.
55. Bishara SE, Ostby AW, Laffoon JF, Warren J. Shear bond strength comparison of two adhesive systems following thermocycling. A new self-etch primer and a resin-modified glass ionomer. *Angle Orthod*. 2007;77:337-341.
56. Gale MS, Darvell BW. Thermal cycling procedures for laboratory testing of dental restorations. *J Dent*. 1999;27:89-99.
57. Elekdag-Turk S, Turk T, Isci D, Ozkalayci N. Thermocycling effects on shear bond strength of a self-etching primer. *Angle Orthod*. 2008;78:351-356.
58. Horowitz HS. Indexes for measuring dental fluorosis. *J Public Health Dent*. 1986;46:179-183.
59. Willems G, Carels CE, Verbeke G. In vitro peel/shear bond strength evaluation of orthodontic bracket base design. *J Dent*. 1997;25:271-278.
60. Leung-arpa L. *Hospital formulary*. Chiang Mai: Chiang Mai sang slip publishing; 2008.
61. Artun J, Bergland S. Clinical trials with crystal growth conditioning as an alternative to acid-etch enamel pretreatment. *Am J Orthod*. 1984;85:333-340.

62. Scougall Vilchis RJ, Yamamoto S, Kitai N, Hotta M, Yamamoto K. Shear bond strength of a new fluoride-releasing orthodontic adhesive. *Dent Mater J.* 2007;26:45-51.
63. Millett DT, McCluskey LA, McAuley F, Creanor SL, Newell J, Love J. A comparative clinical trial of a compomer and a resin adhesive for orthodontic bonding. *Angle Orthod.* 2000;70:233-240.
64. Rock WP, Abdullah MS. Shear bond strengths produced by composite and compomer light cured orthodontic adhesives. *J Dent.* 1997;25:243-249.
65. Kitayama S, Nikaido T, Ikeda M, Foxton RM, Tagami J. Enamel bonding of self-etch and phosphoric acid-etch orthodontic adhesive systems. *Dent Mater J.* 2007;26:135-143.
66. Vicente A, Mena A, Ortiz AJ, Bravo LA. Water and saliva contamination effect on shear bond strength of brackets bonded with a moisture-tolerant light cure system. *Angle Orthod.* 2009;79:127-132.
67. Endo T, Finger WJ, Hoffmann M, Kanehira M, Komatsu M. The role of oxygen inhibition of a self-etch adhesive on self-cure resin composite bonding. *Am J Dent.* 2007;20:157-160.
68. Sirirungrojying S, Saito K, Hayakawa T, Kasai K. Efficacy of using self-etching primer with a 4-META/MMA-TBB resin cement in bonding orthodontic brackets to human enamel and effect of saliva contamination on shear bond strength. *Angle Orthod.* 2004;74:251-258.



69. Cacciafesta V, Jost-Brinkmann PG, Sussenberger U, Miethke RR. Effects of saliva and water contamination on the enamel shear bond strength of a light-cured glass ionomer cement. *Am J Orthod Dentofacial Orthop.* 1998;113:402-407.
70. Rikuta A, Yoshida T, Tsubota K, Tsuchiya H, Tsujimoto A, Ota M et al. Influence of environmental conditions on orthodontic bracket bonding of self-etching systems. *Dent Mater J.* 2008;27:654-659.
71. Reynolds IR. A Review of Direct Orthodontic Bonding. *Br J Orthod.* 1975;2:171-178.
72. Al Shamsi A, Cunningham JL, Lamey PJ, Lynch E. Shear bond strength and residual adhesive after orthodontic bracket debonding. *Angle Orthod.* 2006;76:694-699.
73. Fox NA, McCabe JF, Buckley JG. A critique of bond strength testing in orthodontics. *Br J Orthod.* 1994;21:33-43.
74. Linklater RA, Gordon PH. An ex vivo study to investigate bond strengths of different tooth types. *J Orthod.* 2001;28:59-65.
75. Ozturk B, Malkoc S, Koyuturk AE, Catalbas B, Ozer F. Influence of different tooth types on the bond strength of two orthodontic adhesive systems. *Eur J Orthod.* 2008;30:407-412.
76. Santos BM, Pithon MM, Ruellas AC, Sant'Anna EF. Shear bond strength of brackets bonded with hydrophilic and hydrophobic bond systems under contamination. *Angle Orthod;*80:963-967.
77. Humphrey SP, Williamson RT. A review of saliva: normal composition, flow, and function. *J Prosthet Dent.* 2001;85:162-169.

78. Knox J, Hubsch P, Jones ML, Middleton J. The influence of bracket base design on the strength of the bracket-cement interface. *J Orthod.* 2000;27:249-254.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved