ชื่อเรื่องการค้นคว้าแบบอิสระ อัตมโนพัสน์ และคุณภาพชีวิตของผู้ป่วยโรคเรื่อน ที่สูนย์โรคเรื่อนเขต 5 จังหวัดนครราชสีมา

ชื่อผู้เขียน

นายโกเมศ อุนรัตน์

สาธารณสุขศาสตรมหาบัณฑิต

คณะกรรมการสอบการค้นคว้าแบบอิสระ:

ผู้ช่วยศาสตราจารย์ทิพย์รัตน์ มณีเลิศ ประธานกรรมการ ผู้ช่วยศาสตราจารย์กรรณิกา วิทย์สุภากร กรรมการ อาจารย์ ดร. น้ำทิพย์ ศรีรักษ์ กรรมการ

บทคัดย่อ

การศึกษาเชิงพรรณนาครั้งนี้มีวัตถุประสงค์ เพื่อศึกษาอัตมโนทัศน์และคุณภาพชีวิตของ ผู้ป่วยโรคเรื้อน เลือกกลุ่มตัวอย่างแบบเฉพาะเจาะจงจากผู้ป่วยที่มารับบริการที่ศูนย์โรคเรื้อนเขต 5 จังหวัดนครราชสีมา จำนวน 54 ราย รวบรวมข้อมูลด้วยการสัมภาษณ์ตามแบบวัคอัตมโนทัศน์ของ เทนเนสซึ่ แบบวัดคุณภาพชีวิตฉบับย่อขององค์การอนามัยโลก และสัมภาษณ์เชิงลึกจากกลุ่มตัว อย่างเดิมจำนวน 10 ราย วิเคราะห์ข้อมูลเชิงพรรณนา ทดสอบความสัมพันธ์ด้วยสหสัมพันธ์แบบ สเปียร์แมนแรงค์ และการทดสอบความน่าจะเป็นแบบเอ็กแซกท์

ผลการศึกษาพบว่า กลุ่มตัวอย่างส่วนใหญ่ร้อยละ 98.1 มีอัตมโนทัศน์ในด้านบวก และร้อยละ 72.2 มีคุณภาพชีวิตระดับปานกลาง อัตมโนทัศน์ด้านลบที่พบมากที่สุดเป็นอัตมโนทัศน์ด้านร่างกาย (ร้อยละ 7.4) ส่วนคุณภาพชีวิตระดับต่ำที่พบมากที่สุดคือ คุณภาพชีวิตในด้านสังคม (ร้อยละ 7.4) การสัมภาษณ์เชิงลึก พบว่าผู้ป่วยโรคเรื้อนมีความวิตกกังวลใจมากต่อการเปลี่ยนแปลงของร่างกาย เนื่องจากอาการของโรค และผลข้างเคียงจากการรักษา ทำให้ผู้ป่วยแยกตัวเองออกจากสังคมและมีกิจกรรมร่วมกับผู้อื่นน้อยลง อัตมโนทัศน์ของผู้ป่วยโรคเรื้อน มีความสัมพันธ์เชิงบวกกับคุณภาพชีวิตอย่างมีนัยสำคัญทางสถิติ (r = 0.30, p = 0.028)

อัตมโนทัศน์ของผู้ป่วยโรคเรื้อนมีผลโดยตรงต่อคุณภาพในการดำรงชีวิต การฟื้นฟูสภาพจิตใจ และให้ความรู้ความเข้าใจที่ถูกต้องแก่ผู้ป่วยโรคเรื้อน มีความสำคัญไม่น้อยไปกว่าการบำบัดรักษา โรคด้วยยา เพื่อให้ผู้ป่วยสามารถดำรงชีวิตต่อไปในสังคมได้อย่างปกติ Independent Study Title

Self Concept and Quality of Life of Leprosy Patients at Leprosy

Center Region 5 Nakhon Ratchasima

Author

Mr. Gomes Unarat

Master of Public Health

Independent Study Examining Committee:

Maneelert Asst. Prof. Tiparat

Chairperson

Asst. Prof. Kannika Vitsupakorn

Member

Lect. Dr. Namtip Srirak

Member

Abstract

The objectives of this descriptive study were to study self concept and quality of life of leprosy patients. The sample of 54 cases was purposively selected from registered leprosy patients at Leprosy Center Region 5, Nakorn Ratchasima Province. The patients were interviewed using Tennessee Self concept Scale and WHOQOL - BREF - THAI instrument. An in-depth interview was carried out in 10 of 54 selected cases. Data were presented as frequency and percentage and tested for association by using Spearman Rank Correlation and Exact Probability test.

The results showed that 98.1% of leprosy patients had positive self concept and 72.2% of them had moderate level of overall quality of life. The highest percentage for negative self concept was found in physical domain (7.4%) while the most frequent (7.4%) poor quality of life was found in social relationship domain. The in-depth interview revealed that anxiety and depression on physical deformity due to the disease and treatment side-effects deprived leprosy patients of social interaction with self stigma. Self concept in general was significantly positive correlation with quality of life (r = 0.30, p = 0.028).

Patient self concept had direct impact on their quality of daily life. Mental rehabilitation and proper health education are equally important to drug therapy and can promote quality of life.

