

VII. REFERENCES

- Ajello, L., A.A. Padhye, S. Sukroongreung, C.H. Nilakul, and S. Tantimavanic.** 1995. Occurrence of *Penicillium marneffei* infections among wild bamboo rats in Thailand. *Mycopathologia*. **131**:1-8.
- Board, P., M. Coggan, P . Johnston, V. Ross, T. Suzuki, and G. Webb.** 1990. Genetic heterogeneity of the human glutathione transferases: a complex of gene families. *Pharmacol. Ther.* **48**:357-69.
- Borneman A.R., M.J. Hynes, and A. Andrianopoulos.** 2000. The abaA homologue of *Penicillium marneffei* participates in two developmental programmes: conidiation and dimorphic growth. *Mol. Microbiol.* **5**:1034-47.
- Borneman A.R., M.J. Hynes, and A. Andrianopoulos.** 2001. An STE12 homolog from the asexual, dimorphic fungus *Penicillium marneffei* complements the defect in sexual development of an *Aspergillus nidulans steA* mutant. *Genetics*. **3**:1003-14.
- Borneman A.R., M.J. Hynes, and A. Andrianopoulos.** 2002. A basic helix-loop-helix protein with similarity to the fungal morphological regulators, *Phd1p*, *Efg1p* and *StuA*, controls conidiation but not dimorphic growth in *Penicillium marneffei*. *Mol. Microbiol.* **3**:621-31.
- Boyce K.J., M.J. Hynes, and A. Andrianopoulos.** 2001. The CDC42 homolog of the dimorphic fungus *Penicillium marneffei* is required for correct cell polarization during growth but not development. *J. Bacteriol.* **11**:3447-57.

- Bradford M.M.** 1976. A rapid and sensitive method for quantitative of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* 72:248-54.
- Brown, T.A.** Essential Molecular Biology: a practical approach. (2 edn) : Oxford university press, 2000.
- Cao, L., C.M. Chan, C. Lee, S.S.Y. Wong, and K.Y. Yuen.** 1998A. *MP1* encodes an abundant and highly specific antigenic cell wall mannoprotein in the pathogenic fungus *Penicillium marneffei*. *Infect. Immun.* 66:966-73.
- Cao, L., D.L. Chen, C. Lee, C.M. Chan, K.M. Chan, N. Vanittanakom, D.N. Tsang, and K.Y. Yuen.** 1998B. Detection of specific antibodies to an antigenic mannoprotein for diagnosis of *Penicillium marneffei* penicilliosis. *J. Clin. Microbiol.* 36:3028-31.
- Cao, L., K.M. Chan, D. Chen, N. Vanittanakom, C. Lee, C.M. Chan, T. Sirisanthana, D.N. Tsang, and K.Y. Yuen.** 1999. Detection of cell wall mannoprotein Mp1p in culture supernatants of *Penicillium marneffei* and in sera of penicilliosis patients. *J. Clin. Microbiol.* 37:981-6.
- Capponi, M., P. Sureau, and G. Segretain.** 1956. Penicilliosis de *Rhizomys sinensis*. *Bull. Soc. Pathol. Exot.* 49:418-21.
- Chariyalertsak, S., T. Sirisanthana, K. Supparatpinyo, and K.E. Nelson.** 1996A. Seasonal variation of disseminated *Penicillium marneffei* infections in northern Thailand: a clue to the reservoir? *J. Infect. Dis.* 173:1490-3.
- Chariyalertsak, S., P. Vanittanakom, K.E. Nelson, T. Sirisanthana, and N. Vanittanakom.** 1996B. *Rhizomys sumatrensis* and *Cannomys badius*, new natural animal hosts of *Penicillium marneffei*. *J. Med. Vet. Mycol.* 34:105-10.

- Chongtrakool, P., S.C. Chaiyaroj, V. Vithayasai, S. Trawatcharegon, R. Teanpaisan, S. Kalnawakul, and S. Sirisinha.** 1997. Immunoreactivity of a 38-kilodalton *Penicillium marneffei* antigen with human immunodeficiency virus-positive sera. *J. Clin. Microbiol.* **35**:2220-3.
- Clark, A.G.** 1989. The comparative enzymology of the glutathione S-transferases from non-vertebrate organisms. *Comp. Biochem. Physiol.* **92**:419-46.
- Clark, A.G., G.L. Dick, and J.N. Smith.** 1984. Kinetic studies on a glutathione S-transferase from the larvae of *Costelytra zealandica*. *Biochem. J.* **217**:51-8.
- Clark, A.G., N.A. Shamaan, M.D. Sinclair, and W.C. Deuterman.** 1986. Insecticide metabolism by multiple glutathione S-transferases in two strains of the house fly, *Musca domestica* (L.). *Pestic. Biochem. Physiol.* **25**:169-75.
- Cogliati M, A. Roverselli, J.R. Boelaert, D. Taramelli, L. Lombardi, and M.A. Viviani.** 1997. Development of an *in vitro* macrophage system to assess *Penicillium marneffei* growth and susceptibility to nitric oxide. *Infect. Immun.* **65**:279-84.
- Cooper C.R. Jr., and M.R. McGinnis.** 1997. *Penicillium marneffei*, an emerging acquired immunodeficiency syndrome-related pathogen. *Arc. Pathol. Lab. Med.* **121**:798-804.
- Daniel, V.** 1993. Glutathione S-transferase: Gene structure and regulation of expression. Critical reviews in biochemistry and molecular biology. **28**:173-207.
- Deng, Z., M. Yun, L. Ajello.** 1986. Human penicilliosis marneffei and its relation to the bamboo rat (*Rhizomys pruinosus*). *J. Med. Vet. Mycol.* **24**:383-9.

- Desakorn, V., M.D. Smith, A.L. Walsh, A.J.H. Simpson, D. Sahassananda, A. Rajanuwong, V. Wuthiekanun, P. Howe, B.J. Angus, P. Suntharasamai, and N.J. White.** 1999. Diagnosis of *Penicillium marneffei* infection by quantitation of urinary antigen by using an enzyme immunoassay. *J. Clin. Microbiol.* **37**:117-21.
- Dierickx, P.J.** 1985. Anionic and neutral glutathione S-transferase isoenzymes in the fresh water worm *Tubifex tubifex* (O.F.M.). *Arch. Int. Physiol. Biochem.* **93**: 193-8.
- DiSalvo, D.A., A.M. Flickling, and L. Ajello.** 1973. Infection caused by *Penicillium marneffei*. Description of first natural infection in man. *Am. J. Clin. Pathol.* **60**:259-63.
- Duong, T.A.** 1996. Infection due to *Penicillium marneffei*, an emerging pathogen:review of 155 reported cases. *Clin. Infect. Dis.* **23**:125-30.
- ELG.** 2003. Primary structure analysis: Compute pI/Mw tool. Available: <http://us.expasy.org/tool/#primary>. [2003, September 20].
- Estrada, A.J., D. Styfen, V.J. Cutsem, F.C. Pierard, and G.E. Pierard.** 1992. Immunohistochemical identification of *Penicillium marneffei* by monoclonal antibody. *Intern. J. Dermatol.* **31**:410-12.
- Gluthenberh, C., K. Akerfeldt, and B. Mannervik.** 1979. Purification of glutathione S-transferase from human placenta. *Acta. Chem. Scan.* **33**: 595-6.
- Habig, W.H., M.J. Pabst, and W.B. Jakoby.** 1974. Glutathione S-transferase: the first enzymatic step in mercapuric acid formation. *J. Biol. Chem.* **249**:7130-9.

- Hamilton, A. J., L. Jeavons, S. Youngchim, N. Vanittanakom, and R. J. Hay.** 1998. Sialic acid-dependent recognition of laminin by *Penicillium marneffei* conidia. *Infect. Immun.* **66**:6024-6.
- Hamilton A.J., L. Jeavons, S. Youngchim, N. Vanittanakom.** 1999. Recognition of fibronectin by *Penicillium marneffei* conidia via a sialic acid-dependent process and its relationship to the interaction between conidia and laminin. *Infect. Immun.* **10**:5200-5.
- Hayes, J.D., and C.R. Wolf.** 1990. Molecular mechanisms of drug resistance. *Biochem. J.* **272**:281-95.
- Hopp,T.P. and K.R. Woods.** 1981. Prediction of protein antigenic determinants from amino acid sequences. *Proc. Natl. Acad. Sci.* **86**:152-6.
- Imwidthaya, P., A.S. Sekhon, T.D. Mastro, A.K. Garg, and E. Ambrosie.** 1997. Usefulness of a microimmunodiffusion test for the detection of *Penicillium marneffei* antigenemia, antibodies and exoantigens. *Mycopathologia.* **138**:51-5.
- Ishikawa, T.** 1992. The ATP-dependent glutathione S-conjugate export pump. *Trends. Biochem. Sci.* **17**:463-8.
- Jeavons, L., A.J. Hamilton, N. Vanittanakom, R. Ungpakorn, E.G. Evans, T. Sirisanthana, and R.J. Hay.** 1998. Identification and purification of specific *Penicillium marneffei* antigens and the recognition by human immune sera. *J. Clin. Microbiol.* **36**:949-54.
- Kaufman, L., P.G. Standard, S.A. Anderson, M. Jalbert, and B.L. Swisher.** 1995. Development of specific fluorescent antibody test for tissue form of *Penicillium marneffei*. *J. Clin. Microbiol.* **33**:2136-8.

- Kaufman, L., P.G. Standard, M. Jalbert, P. Kantipong, K. Limpakarnjanarat, and T.D. Mastro.** 1996. Diagnostic antigenemia tests for penicilliosis marneffei. *J. Clin. Microbiol.* 34:2503-5.
- Koguchi Y, K. Kawakami, S. Kon, T. Segawa, M. Maeda, T. Uede, and A. Saito.** 2002. *Penicillium marneffei* causes osteopontin-mediated production of interleukin-12 by peripheral blood mononuclear cells. *Infect. Immun.* 3:1042-8.
- Kudeken, N., K. Kawakami, N. Kusano, and A. Saito.** 1996. Cell-mediated immunity in host resistance against infection caused by *Penicillium marneffei*. *J. Med. Vet. Mycol.* 34:371-8.
- Kudeken, N., K. Kawakami, and A. Saito.** 1997. CD4+ T cell-mediated fatal hyperinflammatory reactions in mice infected with *Penicillium marneffei*. *Clin. Exp. Immunol.* 107:468-73.
- Kudeken N., K. Kawakami, and A. Saito.** 1999A. Role of superoxide anion in the fungicidal activity of murine peritoneal exudate macrophages against *Penicillium marneffei*. *Microbiol. Immunol.* 4:323-30.
- Kudeken N., K. Kawakami, and A. Saito.** 1999B. Cytokine-induced fungicidal activity of human polymorphonuclear leukocytes against *Penicillium marneffei* FEMS. *Immunol. Med. Microbiol.* 2:115-24.
- Kudeken N, K. Kawakami, and A. Saito.** 2000. Mechanisms of the *in vitro* fungicidal effects of human neutrophils against *Penicillium marneffei* induced by granulocyte-macrophage colony-stimulating factor (GM-CSF). *Clin. Exp. Immunol.* 3:472-8.
- Kuzmich,, S., L.A. Vanderveer, E.S. Walsh, F.P. LaCreta, and K.D. Tew.** 1992. Increased levels of glutathione S-transferase π transcript as a mechanism of resistance to ethacrynic acid. *Biochem. J.* 281: 219-24.

- Kyte J. and R.F. Doolittle.** 1982. A simple method for displaying the hydropathic character of a protein. *J. Mol. Bio.* **157**:105-32.
- Leammi U.K.** 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*. **227**:680-5.
- Levitz, S. M.** 1992. Overview of host defenses in fungal infections. *Clin. Infect. Dis.* **14**:37-42.
- LoBuglio K.F., and J.W. Taylor.** 1995. Phylogeny and PCR identification of the human pathogenic fungus *Penicillium marneffei*. *J. Clin. Microbiol.* **1**:85-9.
- Luca I.G. Toldo.** 1997. Antigenicity plot. Available: http://hometown.aol.com/_ht_a/lucatoldo/myhomepage/ JaMBW/3/1/7 [2003, September 20].
- Mannervik, B., and U.H. Danielson.** 1988. Glutathione transferase-structure and catalytic activity. *Crit. Rev. Biochem. Mol. Biol.* **23**: 283-337.
- McTigue, M.A., D.R. Williams, and J.A. Tainer.** 1995. Crystal structures of a schistosomal drug and vaccine target:glutathione S-transferase from *Schistosoma japonicum* and its complex with the leading antischistosomal drug praziquantel. *J. Mol. Biol.* **246**:21-7.
- O'Neill, P. M., P. G. Bray, S. R. Hawley, S. A. Ward, and B. K. Park.** 1998. 4-Aminoquinolines past, present, and future: a chemical perspective. *Pharmacol. Ther.* **77**:29-58.
- Pierard GE, J. Arrese Estrada, C. Pierard-Franchimont, A. Thiry, and D. Stynen.** 1991. Immunohistochemical expression of galactomannan in the cytoplasm of phagocytic cells during invasive aspergillosis. *Am. J. Clin. Pathol.* **3**:373-6.

- Pongpom, P.** 2004. Cloning and analysis of genes encoding antigenic proteins from *Penicillium marneffei*. Ph.D. Thesis, Chiang Mai University.
- Poolsri, W.** 1999. Purification and characterization of highly immunogenic protein antigens from *Penicillium marneffei*. M.S. thesis, Chiang Mai University.
- Rosenberg, I.M.** 1996. Protein analysis and purification benchtop techniques. Northeastern graphic services, Inc., Hackensack, NJ.
- Rongrungruang, Y., and M. L. Stuart.** 1999. Interactions of *Penicillium marneffei* with human leukocytes *in vitro*. Infect. Immun. 67:4732-6.
- Salinas, A.E., and M.G. Wong.** 1990. Glutathione S-transferase—A review, Current medical chemistry. Bentham Science Publishers B. V. 6:279-309.
- Sambrook, J., E.F. Fritsch, and T. Maniatis.** 1989. Molecular cloning, a laboratory manual (2nd edn). Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY.
- Segretain G.** 1959. *Penicillium marneffei* n, sp., agent d'une mycose du système reticuloendothelial. Mycopathol Mycol Appl. 11:327-53.
- Sekhon, A.S., J.S.K. Li, and A.K. Garg.** 1982. Penicilliosis marneffei: serological and exoantigen studies. Mycopathologia. 77:51-7.
- Simon, P.C., and D.L. Vanre Jagt.** 1977. Purification of glutathione S-transferase from human liver by glutathione-affinity chromatography. Anal. Biochem. 82:334-41.
- Sirisanthana, T.** 1996. Disseminated *Penicillium marneffei* infection in patients with acquired immunodeficiency syndrome. J. Med. Mycol. 37:5-8.

- Sirisanthana, T., K. Supparatpinyo, J. Perriens, and K.E. Nelson.** 1998. Amphotericin B and itraconazole for treatment of disseminated *Penicillium marneffei* infection in human immunodeficiency virus-infected patients. *Clin. Infect. Dis.* **26**:1107-10.
- Smith, D.B., and K.S. Johnson.** 1988. Single-step purification of polypeptides expressed in *Escherichia coli* as fusions with glutathione S-transferase. *Gene.* **67**:31-40.
- Supparatpinyo, K., S. Chiewchanvit, P. Hirunsri, C. Uthammachai, K.E. Nelson, and T. Sirisanthana.** 1992. *Penicillium marneffei* infection in patients infected with human immunodeficiency virus. *Clin. Infect. Dis.* **14**:871-4.
- Supparatpinyo, K., C. Khamwan, V. Baosoung, K.E. Nelson, and T. Sirisanthana.** 1994. Disseminated *Penicillium marneffei* infection in Southeast Asia. *Lancet.* **334**:10-3.
- Taramelli, D., C. Tognazzi, F. Ravagnani, O. Leopardi, G. Giannulis, and J. R. Boelaert.** 2001 Inhibition of intramacrophage growth of *Penicillium marneffei* by 4-aminoquinolines. *Antimicrob. Agents. Chemother.* **5**:1450-5.
- Towbin H., T. Staehelin, and J. Gordon.** 1979. Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications. *Proc. Natl. Acad. Sci.* **76**:4350-4.
- Trewatcharegon, S., S.C. Chaiyaroj, P. Chongtrakool, and S. Sirisinha.** 2000. Production and characterization of monoclonal antibodies reactive with the mycelial and yeast phases of *Penicillium marneffei*. *Med. Mycol.* **38**:91-6.

- Vanittanakom, N., M. Mekaprateep, N. Sittisombut, K. Supparatpinyo, P. Kanjanasthiti, K.E. Nelson, and T. Sirisanthana.** 1997A. Western immunoblot analysis of protein antigens of *Penicillium marneffei*. *J. Med. Vet. Mycol.* **35**:123-31.
- Vanittanakom, N., P. Vanittanakom, and R.J. Hay.** 2002. Rapid identification of *Penicillium marneffei* by PCR-based detection of specific sequences on the rRNA gene. *J. Clin. Microbiol.* **40**:1739-42.
- Vanittanakom, N., and T. Sirisanthana.** 1997B. *Penicillium marneffei* infection in patients with human immunodeficiency virus. *Curr. Top. Med. Mycol.* **8**:35-42.
- Vanittanakom, N., W.G. Merz, N. Sittisombut, C. Khuamwan, K.E. Nelson, and T. Sirisanthan.** 1998. Specific identification of *Penicillium marneffei* by a polymerase chain reaction/hybridization technique. *Med. Mycol.* **36**:169-75.
- Verweij, P.E., D. Stynen, A.J. Rijs, B.E. de Pauw, J.A. Hoogkamp-Korstanje, and J.F. Meis.** 1995. Sandwich enzyme-linked immunosorbent assay compared with Pastorex latex agglutination test for diagnosing invasive aspergillosis in immunocompromised patients. *J. Clin. Microbiol.* **33**:1912-4.
- Viviani M.A., A.M. Tortorano, G. Rizzardini, T. Quirino, L. Kaufman, A.A. Padhye, and L. Ajello.** 1993. Treatment and serological studies of an Italian case of penicilliosis marneffei contracted in Thailand by a drug addict infected with the human immunodeficiency virus. *Eur. J. Epidemiol.* **1**:79-85.
- William R. Pearson and the University of Virginia.** 1998. Hydrophathy plot. Available: http://fasta.bioch.virginia.edu/o_fasta/grease.htm [2003, September 20].

Wong L.P., P.C. Woo, A.Y. Wu, and K.Y. Yuen. 2002. DNA immunization using a secreted cell wall antigen Mp1p is protective against *Penicillium marneffei* infection. *Vaccine*. 23-24:2878-86.

Wong, S.S., T.Y. Ho, A.H. Ngan, P.C. Woo, T.L. Que, and K.Y. Yeun. 2001. Biotyping of *Penicillium marneffei* reveals concentration-dependent growth inhibition by galactose. *J. Clin. Microbiol.* 4:1416-21.

Youngchim, S., N. Vanittanakom, and A.J. Hamilton. 1999. Analysis of the enzymatic activity of mycelial and yeast phases of *Penicillium marneffei*. *Med. Mycol.* 37:445-50.

Yuen, K.Y., S.S. Wong, D.N. Tsang, and P.Y. Chau. 1994. Serodiagnosis of *Penicillium marneffei* infection. *Lancet*. 334:444-5.