

## TABLE OF CONTENTS

	<b>Page</b>
ACKNOWLEDGEMENT	iii
ENGLISH ABSTRACT	iv
THAI ABSTRACT	vii
LIST OF TABLES	xi
LIST OF FIGURES	xii
CHAPTER I INTRODUCTION	1
Introduction	1
Objective	5
Educational advantages	6
CHAPTER II LITERATURE REVIEW	7
Microsatellite markers	8
Mitochondrial DNA	18
Parentage/Kinship relation	20
CHAPTER III MATERIALS AND METHODS	22
Studied Population	22
Sample Collection	24
DNA Extraction	24
DNA Amplification	26

	<b>Page</b>
Fragment analysis (GeneScan)	28
DNA sequencing	29
Data analysis	29
Location of research operation and data collection	30
<b>CHAPTER IV RESULTS</b>	<b>31</b>
DNA Extraction	31
DNA Amplification	31
Fragment Size Determination	35
Genotyping and Parentage test	39
Mitochondrial DNA sequencing	46
<b>CHAPTER V DISCUSSION</b>	<b>47</b>
<b>CONCLUSION</b>	<b>54</b>
<b>REFERENCES</b>	<b>55</b>
<b>APPENDICES</b>	<b>63</b>
APPENDIX A The Existed Elephants	64
APPENDIX B Blood and Body Fluid Spin Protocol	66
APPENDIX C Protocol of Gene Scan	71
APPENDIX D Big Dye Sequencing	73
APPENDIX E Spectrophotometry and DNA concentration	81
APPENDIX F Mitochondrial DNA sequence	83
<b>VITA</b>	<b>87</b>

## LIST OF TABLES

<b>Table</b>	<b>Page</b>
1 Microsatellite markers are reported in the previous studies	13
2 Family and individual data of elephants.	23
3 Oligonucleotide primers for 3 microsatellite markers	26
4 Microsatellite genotyping in 5 elephant families.	40
5 Frequency distribution of all alleles at all loci	44
6 Frequency distribution of genotype at all loci.	45
7 The power of discriminating (PD) and average power of exclusion (PE) of loci	45

## LIST OF FIGURES

<b>Figure</b>		<b>Page</b>
1	DNA slippage occurs during replication when the nascent DNA separates and reassociates itself temporary from the DNA template	10
2	Microsatellite's patterns on gel of microsatellite with three genotypes, two different homozygotes and a heterozygote	11
3	The microsatellites are used for individual identification and parentage test	12
4	In the fertilization, egg cell is fertilized by a sperm	19
5	The mitochondrial DNA, a circular double helix made up of 15,000-20,000 nucleotide	19
6	Agarose gel electrophoresis of genomic DNA from buffy coat samples amplified with microsatellite marker named LafMS03	32
7	Agarose gel electrophoresis of amplified genomic DNA with microsatellite marker named FH94 and FH102	33
8	Agarose gel electrophoresis of mtDNA amplified with ELE and Mito-CB primer	34
9	Fragment sizes of PCR products at FH94 locus are (a) 237/239 (LP1-C-PP) and (b) 231/237 (LP1-C-SK)	36

<b>Figure</b>	<b>Page</b>
10 Fragment sizes of PCR products at FH102 locus are (a) 204/210 (CM1-Cc-WP2) and (b) 204/204 (LP1-Cc-AN)	37
11 Fragment sizes of PCR products at LafMS03 locus are (a) 156/164 (CM1-C-NO2) and (b) 154/156 (CM1-C-ND)	38
12 Pedigree of family TECC-01 shows detailed genotypes	41
13 Pedigree of family TECC-02 shows detailed genotypes	41
14 Pedigree of family MSEC-01 shows detailed genotypes	42
15 Pedigree of family MSEC-02 shows detailed genotypes	42
16 Pedigree of family MSEC-03 shows detailed genotypes	43