

## BIBLIOGRAPHY

- Ahvenainen, R. (2003). Novel Food Packaging Techniques. p. 530. CRC Press LLC, Florida.
- Allen, L., Nelson, A. I., Steinberg, M. P. and McGill, J. N. (1963). Edible corn-carbohydrate food coatings, 1. Development and physical testing of a starch-alginate coating. *Food Technology*. 17: 1437-1442.
- Appendini, P. and Hotchkiss, J. H. (2002). Review of antimicrobial food packaging. *Innovation Food Science and Emerging Technologies*. 3:113-126.
- Aquino, S. D., Piga, A., Agabbio, M. and McCollum, T. G. (1998). Film wrapping delays ageing of 'Minneola' tangelos under shelf-life conditions. *Postharvest Biology and Technology*. 14: 107-116.
- ASTM. (1983). Standard Test Methods for Water Vapor Transmission of Materials. E 96-95, pp. 760-770. Annual Book of ASTM Standards, Philadelphia.
- ASTM. (1993). Standard Test Methods for Tensile Properties of Plastics. D638M, pp. 59-67. Annual Book of ASTM Standards, Philadelphia.
- ASTM. (1998). Standard Test Methods for Two-Sided Liquid Extraction of Plastic Materials Using FDA Migration Cell. D4754, pp. 59-67. Annual Book of ASTM Standards, Philadelphia.
- ASTM. (2000). Standard Test Methods for Water Vapor Transmission of Materials. E 96-00, pp. 907-914. Annual Book of ASTM Standards, Philadelphia.
- ASTM. (2003). Standard Test Methods of Determining Gas Permeability Characteristics of Plastic Film and Sheeting. D1434-82, pp. 59-67. Annual Book of ASTM Standards, Philadelphia.
- Auras, R., Harte, B. and Selke, S. (2006). Sorption of ethyl acetate and d-limonene in poly(lactide) polymers. *Journal of the Science of Food and Agriculture*. 86: 648-656.
- Aureli, P., Costantini, A. and Zolea, Z. (1992). Antibacterial activity of some plant essential oils against *Listeria monocytogenes*. *Journal of Food Protection*. 55: 344-348.
- Aydt, T. P., Weller, C. L. and Testin, R. F. (1991). Mechanical and barrier properties of edible corn and wheat protein films. *Transactions of the ASAE*. 34(1): 207-211.
- Ayrancı, E., Buyuktas, B. and Cetin, E.E. (1997). The effect of molecular weight of constituents on properties of cellulose-based edible films. *LWT-Food Science and Technology*. 30: 101-104.
- Ayrancı, E. and Tunc, S. (2001). The effect of fatty acid content on water vapour and carbon dioxide transmissions of cellulose-based edible film. *Food Chemistry*. 72: 231-236.
- Aziz, N. H., Farag, S. E., Mousa, L. A. A. and Abo-Zaid, M. A. (1998). Comparative antibacterial and antifungal effects of some phenolic compounds. *International Microbiology*. 93: 43-54.
- Barr, C. D., Giacin, J. R. and Hernandez, R. J. (2000). A determination of solubility coefficient values determined by gravimetric and isostatic permeability techniques. *Packaging Technology and Science*. 13: 157-167.

- Barrie, J. A. (1968). Water in polymer. In "Diffusion in Polymers" (J. Crank and G. S. Park, eds.), p. 259. Academic Press, New York.
- Begin, A. and Van Calsteren, M. R. (1999). Antimicrobial films produced from chitosan. *International Journal of Biological Macromolecules*. 26: 63-67.
- Biquet, B. and Labuza, T. P. (1988). Evaluation of the moisture permeability characteristic of chocolate films as an edible moisture barrier. *Journal of Food Science*. 53(4): 989-998.
- Birley, A.W., Haworth, B. and Batchelor, J. (1992). Physics of Plastics. pp. 7, 475. Hanser Publishers, New York.
- Botsoglou, N. A., Christaki, E., Fletouris, D. J., Florou-Paneri, P. and Spais, A. B. (2002). The effect of dietary oregano essential oil on lipid oxidation in raw and cooked chicken during refrigerated storage. *Meat Science*. 62: 259-265.
- Brody, A. L., Strupinsky, E. R. and Kline, L. R. (2001). Active Packaging for Food Applications. p. 218. Technomic Publishing, Lancaster.
- Burri, J., Graf, M., Lambelet, P. and Loliger, J. (1989). Vanillin: more than a flavouring agent - a potent antioxidant. *Journal of the Science of Food and Agriculture*. 48: 49-56.
- Butler, B., Vergano, R., Testin, R., Bunn, J. and Wiles, J. (1996). Mechanical and barrier properties of edible chitosan films as affected by composition and storage. *Journal of Food Science*. 61(5): 953-961.
- Cagri, A., Ustunol, Z. and Ryser, E. T. (2001). Antimicrobial, mechanical, and moisture barrier properties of low pH whey protein-based edible films containing p-amminobenzoic or sorbic acid. *Journal of Food Science*. 66(6): 865-870.
- Callegarin, F., Quezada-Gallo, J. A., Debeaufort, F. and Voilley, A. (1997). Lipids and biopackaging. *Journal of the American Oil Chemists' Society*. 74: 1183-1192.
- Caner, C., Vergano, P. and Wiles, J. (1998). Chitosan film mechanical and permeation properties as affected by acid, plasticizer, and storage. *Journal of Food Science*. 63(6): 1049-1053.
- Cerrutti, P. and Alzamora, S. M. (1996). Inhibitory effects of vanillin on some food spoilage yeasts in laboratory media and fruit purees. *International Journal of Food Microbiology*. 29:379-386.
- Cerrutti, P., Alzamora, S. M. and Vidales, S. L. (1997). Vanillin as an antimicrobial for producing shelf-stable strawberry puree. *Journal of Food Science*. 62(3): 608-610.
- Cervera, M. F., Karjalainen, M., Airaksinen, S., Rantanen, J., Krogars, K., Heinamaki, J., Colarte, A. I. and Yliruusi, J. (2004). Physical stability and moisture sorption of aqueous chitosan-amylose starch films plasticized with polyols. *European Journal of Pharmaceutics and Biopharmaceutics*. 58: 69-76.
- Cha, D. S. and Chinnan, M. S. (2004). Biopolymer-based antimicrobial packaging: A review. *Critical Reviews in Food Science*. 44: 223-237.
- Cha, D. S., Cooksey, K., Chinnan, M. S. and Park, H. J. (2003). Release of nisin from various heat-pressed and cast films. *LWT-Food Science and Technology*. 36: 209-213.

- Cheah, L. H. and Page, B. B. C. (1997). Chitosan coating for inhibition of Sclerotinia rot of carrots. *New Zealand Journal of Crop and Horticultural Science*. 25: 89-92.
- Chen, M. C., Yeh, G. H. C. and Chiang, B. H. (1996). Antimicrobial and physicochemical properties of methyl cellulose and chitosan films containing a preservative. *Journal of Food Processing and Preservation*. 20:279-390.
- Choi, J. H., Choi, W. Y., Cha, D. S., Chinnan, M. J., Park, H. J., Lee, D. S. and Park, J. M. (2005). Diffusivity of potassium sorbate in K-carrageenan based antimicrobial film. *LWT-Food Science and Technology*. 38: 417-423.
- Chung, D., Chikindas, M. and Yan, K. (2001). Inhibition of *Saccharomyces cerevisiae* by slow release of propyl paraben from a polymer coating. *Journal of Food Protection*. 64(9): 1420-1424.
- Coma, V., Deschamps, A. and Martial-Gros, A. (2003). Bioactive packaging materials from edible chitosan polymer-antimicrobial activity assessment on dairy-related contaminants. *Journal of Food Science*. 68(9): 2788-2792.
- Coma, V., Sebti, I., Pardon, P., Deschamps, A. and Pichavant, F. H. (2001). Antimicrobial edible packaging based on cellulosic ethers, fatty acids, and nisin incorporation to inhibit *Listeria innocua* and *Staphylococcus aureus*. *Journal of Food Protection*. 64(4): 470-475.
- Coma, V., Martial-Gros, A., Garreau, S., Copinet, A., Salin, F. and Deschamps, A. (2002). *Journal of Food Science*. 67: 1162-1169.
- Conner, D. E. and Beuchat, L. R. (1984a). Effects of essential oils from plants on growth of food spoilage yeasts. *Journal of Food Science*. 49: 429-434.
- Conner, D. E. and Beuchat, L.R. (1984b). Sensitivity of heat-stressed yeasts to essential oils of plants. *Applied and Environmental Microbiology*. 47: 229- 233.
- Cooksey, K. (2001). Antimicrobial food packaging materials. *Additives for Polymers*. 8: 6-10.
- Crank, J. (1975). The Mathematics of Diffusion. 2<sup>nd</sup> ed. Oxford University Press, Oxford, United Kingdom.
- Cuq, B., Gontard, N. and Guilbert, S. (1995). Edible films and coatings as active layers. In "Active Food Packaging" (M. L. Rooney, ed.), pp. 111-142. Blackie Academic & Professional, Glasgow.
- Darmadji, P. and Izumimoto, M. (1994). Effect of chitosan in meat preservation. *Meat Science*. 38: 243-254.
- Davidson, P. M. (1993). Parabens and phenolic compounds. In "Antimicrobials in Foods" (P. M. Davidson and A. L. Branen, 2<sup>nd</sup> eds.), pp. 263-305. Marcel Dekker, New York.
- Davidson, P. M. and Naidu, A. S. (2000). Phytophenols. In "Natural Food Antimicrobial Systems" (A. S. Naidu, eds.), pp. 265-294. CRC Press LLC, Boca Raton.
- Davis, P. L. and Chace, W. G. (1969). Determination of alcohol in citrus juice by gas chromatographic analysis of headspace. *Hortscience*. 4: 117-119.
- De Leiris, J. P. (1994). Water activity and permeability. In "Food Packaging and Preservation" (M. Mathlouthi, eds.), pp. 213-233. Elsevier, New York.
- Debeaufort, F., Quezada-Gallo, J. A., Delporte, B. and Voilley, A. (2000). Lipid hydrophobicity and physical state effects on the properties of bilayer edible films. *Journal of Membrane Science*. 4679: 1-8.

- Debeaufort, F. and Voilley, A. (1997). Methylcellulose-based edible films and coatings: 2. mechanical and thermal properties as a function of plasticizer content. *Journal of Agricultural and Food Chemistry*. 45: 685-689.
- Demarger-Andre, S. and Domard, A. (1994). Chitosan carboxylic acid salts in solution and in the solid state. *Carbohydrate Polymer*. 23: 211-219.
- Devlieghere, F., Vermeulen, A. and Debevere, J. (2004a). Chitosan: antimicrobial activity, interactions with food components and applicability as a coating on fruit and vegetables. *Food Microbiology*. 21: 703-714.
- Devlieghere F., Vermeiren, L. and Debevere, J. (2004b). New preservation technologies: possibilities and limitations. *International Dairy Journal*. 14: 273-285.
- Donhowe, I. G. and Fennema, O. (1993a). The effects of solution composition and drying temperature on crystallinity, permeability and mechanical properties of methylcellulose films. *Journal of Food Processing and Preservation*, 17: 231-246.
- Donhowe, I. G. and Fennema, O. (1993b). The effects of plasticizers on crystallinity, permeability and mechanical properties of methylcellulose films. *Journal of Food Processing and Preservation*. 17: 247-258.
- Dorman, H. J. D. and Deans, S. G. (2000). Antimicrobial agents from plants: antibacterial activity of plant volatile oils. *Journal of Applied Microbiology*. 88: 308-316.
- Ferrante, S., Guerrero, S. and Alzamora, S. M. (2007). Combined use of ultrasound and natural antimicrobials to inactivate *Listeria monocytogenes* in orange juice. *Journal of Food Protection*. 70(8): 1850-1856.
- Fitzgerald, D. J., Stratford, M. and Narbad, A. (2003). Analysis of the inhibition of food spoilage yeasts by vanillin. *International Journal of Food Microbiology*. 86: 113-122.
- Fitzgerald, D. J., Stratford, M., Gasson, M. J. and Narbad, A. (2005). Structure-function analysis of the vanillin molecule and its antifungal properties. *Journal of Agricultural and Food Chemistry*. 53: 1769-1775.
- Fitzgerald, D. J., Stratford, M., Gasson, M. J., Ueckert, J., Bos, A. and Narbad, A. (2004). Mode of antimicrobial action of vanillin against *Escherichia coli*, *Lactobacillus plantarum* and *Listeria innocua*. *Journal of Applied Microbiology*. 97: 104-113.
- Garcia, M. A., Pinottia, A., Martino, M. N. and Zaritzky, N. E. (2004). Characterization of composite hydrocolloid films. *Carbohydrate Polymers*. 56: 339-345.
- Goldberg, S., Doyle, R. and Rosenberg, M. (1990). Mechanism of enhancement of microbial cell hydrophobicity by cationic polymers. *The Journal of Bacteriology*. 172: 5650-5654.
- Gontard, N., Duchez, C., Cuq, J. L. and Guilbert, S. (1994). Edible composite films of wheat gluten and lipids: water vapour permeability and other physical properties. *International Journal of Food Science and Technology*. 29: 39-50.
- Gontard, N. and Guilbert, S. (1994). Bio-packaging: Technology and properties of edible and/or biodegradable material of agricultural origin. In "Food Packaging and Preservation" (M. Mathlouthi, ed.), pp. 159-179. Elsevier, New York.

- Gontard, N., Thibault, R., Cuq, B. and Guilbert, S. (1996). Influence of relative humidity and film composition on oxygen and carbon dioxide permeabilities of edible films. *Journal of Agricultural and Food Chemistry*. 44: 1064-1069.
- Greener, I. K. and Fennema, O. (1989a). Barrier properties and surface characteristics of edible, bilayer films. *Journal of Food Science*. 54(6): 1393-1399.
- Greener, I. K. and Fennema, O. (1989b). Evaluation of edible, bilayer films for use as moisture barriers for food. *Journal of Food Science*. 54(6): 1400-1406.
- Guilbert, S. (1986). Technology and application of edible protective films. In "Food Packaging and Preservation—Theory and Practice" (M. Mathlouthi, ed.), pp. 371-394. Elsevier Applied Science Publishers Co., London.
- Guilbert, S., Gontard, N. and Gorris, L. G. M. (1996). Prolongation of the shelf-life of perishable food products using biodegradable films and coatings: review article. *LWT-Food Science and Technology*. 29: 10-17.
- Han, J. H. (2000). Antimicrobial food packaging. *Food Technology*. 54(3): 56-65.
- Han, J. H. and Floros, J. D. (1997). Casting antimicrobial packaging films and measuring their physical properties and antimicrobial activity. *Journal of Plastic Film and Sheeting*. 13: 287-298.
- Han, J. H. and Floros, J. D. (1998). Potassium sorbate diffusivity in American processed and mozzarella cheeses. *Journal of Food Science*. 63(3): 435-437.
- Hasegawa, M., Isogai, A., Kuga, S. and Onabe, F. (1994). Preparation of cellulose chitosan blend film using chloral dimethylformamide. *Polymer*. 35: 983-987.
- Hasegawa, M., Isogai, A., Onabe, F. and Usuda, M. (1992a). Dissolving states of cellulose and chitosan in trifluoroacetic acid. *Journal of Applied Polymer Science*. 45: 1857-1863.
- Hasegawa, M., Isogai, A., Onabe, F., Usuda, M. and Atalla, R. H. (1992b). Characterization of cellulose-chitosan blend films. *Journal of Applied Polymer Science*. 45: 1873-1879.
- Helander, I. M., Alakomi, H., Latva-Kala, K., Mattila-Sandholm, T., Pol, I., Smid, E. J., Gorris, L. G. M. and Wright, A. (1998). Characterisation of the action of selected essential oil components on Gram-negative bacteria. *Journal of Agricultural and Food Chemistry*. 46: 3590-3595.
- Helander, I. M., Nurmi-Lassila, E. L., Ahvenainen, R., Rhoades, J. and Roller, S. (2001). Chitosan disrupts the barrier properties of the outer membrane of Gram-negative bacterial. *International Journal of Food Microbiology*. 71: 235-244.
- Hernandez-Munoz, Almenar, E., Valle, V. D., Velez, D. and Gavara, R. (2008). Effect of chitosan coating combined with postharvest calcium treatment on strawberry (*Fragaria x ananassa*) quality during refrigerated storage. *Food Chemistry*. 110: 428-435.
- Hernandez-Lauzardo, A. N., Bautista-Banos, S., Velazquez-del Valle, M. G., Mendez-Montealvo, M. G., Sanchez-Rivera, M. M. and Bello-Perez, L. A. (2008). Antifungal effects of chitosan with different molecular weights on *in vitro* development of *Rhizopus stolonifer* (Ehrenb.:Fr.) Vuill. *Carbohydrate Polymers*. 73: 541-547.
- Herrmann, A. and Stockli, M. (1982). Rapid control of vanilla-containing products using HPLC. *Journal of Chromatography*. 246: 313-316.

- Isogai, A. and Atalla, R. H. (1992). Preparation of cellulose-chitosan polymer blends. *Carbohydrate Polymer*. 19: 25-28.
- Jay, J. M. and Rivers, G. M. (1984). Antimicrobial activity of some food flavoring compounds. *Journal of Food Safety*. 6: 129-139.
- Jiang, Y. and Li, Y. (2001). Effects of chitosan coating on postharvest life and quality of longan fruit. *Food Chemistry*. 73: 139-143.
- Juven, B. J., Kanner, J., Schved, F. and Weisslowicz, H. (1994). Factors that interact with the antibacterial action of thyme essential oil and its active constituents. *Journal of Applied Bacteriology*. 76: 626-631.
- Kabara, J. J. (1991). Phenols and chelators. In "Food Preservatives" (N. J. Russel and G.W. Gould, eds.), pp. 200-214. Blackie & Son, Glasgow.
- Kamper, S. L. and Fennema, O. (1984). Water vapor permeability of edible bilayer films. *Journal of Food Science*. 49: 1478-1481.
- Kato, T., Yokoyama, M. and Takahashi, A. (1978). Melting temperature of thermally reversible jells. VI methylcellulose-water jells. *Colloidal Polymer Science*. 256: 15-18.
- Kester, J. J. and Fennema, O. (1989). An edible of lipids and cellulose ethers: barrier properties to moisture vapor transmission and structural evaluation. *Journal of Food Science*. 54(6): 1383-1389.
- Kim, K. Y., Son, J. H., Kim, S., Weller, C. L. and Hanna, M. A. (2006). Properties of chitosan films as a function of pH and solvent type. *Journal of Food Science*. 71(3): E119-E124.
- Knorr, D. (1991). Recovery and utilization of chitin and chitosan in food processing waste management. *Food Technology*. 45: 114-122.
- Koelsch, C. M. and Labuza, T. P. (1992). Functional, physical and morphological properties of methyl cellulose and fatty acid-based edible barriers. *Lebensmittel-Wissenschaft und Technologie*. 25(5): 404-411.
- Kurita, K. (2001). Controlled functionalization of the polysaccharide chitin. *Progress in Polymer Science*. 26: 1921-1971.
- Lee, D. S., Hwang, Y. I. and Cho, S. H. (1998). Developing antimicrobial packaging film for curled lettuce and soybean sprouts. *Food Science and Biotechnology*. 7: 117-121.
- Leistner, L. (2000). Basic aspects of food preservation by hurdle technology. *Journal of Food Microbiology*. 55: 181-186.
- Lopez-Malo, A., Alzamora, S. M. and Argaiz, A. (1995). Effect of natural vanillin on germination time and radial growth of moulds in fruit-based agar systems. *Food Microbiology*. 12: 213-219.
- Lopez-Malo, A., Alzamora, S. M., Argaiz, A. (1998). Vanillin and pH synergistic effects on mold growth. *Journal of Food Science*. 63: 143-146.
- Lopez-Malo, A., Alzamora, S.M. and Palou, E. (2005). *Aspergillus flavus* growth in the presence of chemical preservatives and naturally occurring antimicrobial compounds. *International Journal of Food Microbiology*. 99: 119-128.
- Lopez-Malo, A., Alzamora, S. M. and Geurrero, S. N. (2000). Natural antimicrobials from plants. In "Minimally Processed Fruits and Vegetables: Fundamental Aspects and Applications" (S. M. Alzamora, M. S. Tapia and A. Lopez-Malo, eds.), pp. 237-263. Aspen Publishers, Gaithersburg.

- Maftoonazad, N. and Ramaswamy, H.S. (2005). Postharvest shelf-life extension of avocados using methyl cellulose-based coating. *LWT-Food Science and Technology*. 38: 617-624.
- Marrero, A. and Kader, A. A. (2006). Optimal temperature and modified atmosphere for keeping quality of fresh-cut pineapples. *Postharvest Biology and Technology*. 39: 163-168.
- Matamoros-Leon, B., Argaiz, A. and Lopez-Malo, A. (1999). Individual and combined effects of vanillin and potassium sorbate on *Penicillium digitatum*, *Penicillium glabrum*, and *Penicillium italicum* growth. *Journal of Food Protection*. 62: 540-542.
- McNeill, V. and Schmidt, K. (1993). Vanillin interaction with milk protein isolates in sweetened drinks. *Journal of Food Science*. 58: 1142-1147.
- Ming, X., Weber, G.H., Ayres, J.W. and Scandine, W.E. (1997). Bacteriocins applied to food packaging materials to inhibit *Listeria monocytogenes* on meats. *Journal of Food Science*. 62: 413-415.
- Moller, H., Grelier, S., Pardon, P. and Coma, V. (2004). Antimicrobial and physicochemical properties of chitosan-HPMC-based films. *Journal of Agricultural and Food Chemistry*. 52: 6585-6591.
- Moon, K. D., Delaquis, P., Toivonen, P. and Stanich, K. (2006). Effect of vanillin on the fate of *Listeria monocytogenes* and *Escherichia coli* O157:H7 in a model apple juice medium and in apple juice. *Food Microbiology*. 23: 169-174.
- Muzzarelli, C., Tosi, G., Francescangeli, O. and Muzzarelli, R. A. A. (2003). Alkaline chitosan solutions. *Carbohydrate Research*. 338: 2247-2255.
- Muzzarelli, R. A. A. and Peter, M.G. (1997). Chitin Handbook. pp. 528. Atec Edizioni, Grottammare.
- Narisawa, S., Nagata, M., Hirakawa, Y., Kobayashi, M. and Yoshino, H. (1996). An organic acid-induced sigmoidal release system for oral controlled-release preparations. 2. Permeability enhancement of audragit RS coating led by the physicochemical interactions with organic acid. *Journal of Pharmaceutical Science*. 85: 184-188.
- Ngarmsak, M., Delaquis, P., Toivonen, P., Ngarmsak, T., Ooraikul, B. and Mazza, G. (2006). Antimicrobial activity of vanillin against spoilage microorganisms in stored fresh-cut mangoes. *Journal of Food Protection*. 69(7): 1724-1727.
- Nisperos-Carriero, M. O. (1994). Edible coatings and films based on polysaccharides. In "Edible Coatings and Films to Improve Food Quality" (J. M. Krochta, E. A. Baldwin and M. O. Nisperos-Carriero eds.), pp. 305-330. Technomic Publishing, Lancaster.
- Ouattara, B., Simard, R. E., Holley, R. A. Piette, G. J. P. and Begin, A. (1997). Antimicrobial activity of selected fatty acids and essential oils against six meat spoilage organisms. *International Journal of Food Microbiology*. 37: 155-162.
- Ouattara, B., Simard, R. E., Piette, G., Begin, A. and Holley, R. A. (2000a). Diffusion of acetic and propionic acids from chitosan-based antimicrobial packaging films. *Journal of Food Science*. 65(5): 768-773.
- Ouattara, B., Simard, R.E., Piette, G., Begin, A. and Holley, R. A. (2000b). Inhibition of surface spoilage bacteria in processed meats by application of antimicrobial films prepared with chitosan. *International Journal of Food Microbiology*. 62: 139-148.

- Ozdemir, M. and Floros, J.D. (2001). Analysis and modeling of potassium sorbate diffusion through edible whey protein films. *Journal of Food Engineering*. 47: 149-155.
- Papadokostaki, K. G., Amarantos, S. G. and Petropoulos, J. H. (1997). Kinetics of release of particulate solutes incorporated in cellulosic polymer matrices as a function of solute solubility and polymer swelling. I. Sparingly soluble solutes. *Journal of Applied Polymer Science*. 67: 277-287.
- Papineau, A. M., Hoover, D. G., Knorr, D. and Farkas, D. F. (1991). Antimicrobial effect of water-soluble chitosans with high hydrostatic pressure. *Food Biotechnology*. 5: 45-57.
- Park, H. J. and Chinnan, M. S. (1995). Gas and water vapor barrier properties of edible films from protein and cellulosic materials. *Journal of Food Engineering*. 25: 497-507.
- Park, H. J., Chinnan, M. S. and Shewfelt, R. L. (1994). Edible coating effects on storage life and quality of tomatoes. *Journal of Food Science*. 59: 568-570.
- Park, H., Weller, C., Vergano, P. and Testin, R. (1993). Permeability and mechanical properties of cellulose-based edible films. *Journal of Food Science*. 58(6): 1361-1364, 1370.
- Park, S. and Zhao, Y. (2004). Incorporation of a high concentration of mineral or vitamin into chitosan-based films. *Journal of Agricultural and Food Chemistry*. 52: 1933-1939.
- Park, S. Y., Marsh, K. S. and Rhim, J. W. (2002). Characteristics of different molecular weight chitosan films affected by the type of organic solvents. *Journal of Food Science*. 67(1): 194-197.
- Pascat, B. (1985). Study of some factors affecting permeability. In "Food packaging and preservation" (M. Mathlouthi, eds.), pp. 7-24. Elsevier, New York.
- Penney, V., Henderson, G., Blumb, C. and Johnson-Green, P. (2004). The potential of phytopreservatives and nisin to control microbial spoilage of minimally processed fruit yogurts. *Innovative Food Science and Emerging Technologies*. 5: 69-375.
- Pinotti, A., Gracia, M. A., Martino, M. N. and Zaritzky, N. E. (2007). Study on microstructure and physical properties of composite films based on chitosan and methylcellulose. *Food Hydrocolloids*. 21: 66-72.
- Ponce, A. G., Roura, S. I., Carlos, E. D. V. and Moreira, M. R. (2008). Antimicrobial and antioxidant activities of edible coatings enriched with natural plant extracts: *in vitro* and *in vivo* studies. *Postharvest Biology and Technology*. 49: 294-300.
- Pranoto, Y., Rakshit, S. K. and Salokhe, V. M. (2005). Enhancing antimicrobial activity of chitosan films by incorporating garlic oil, potassium sorbate and nisin. *LWT-Food Science and Technology*. 38: 859-865.
- Presser, K. A., Ratkowsky, D.A. and Ross, T. (1997). Modelling the growth rate of *Escherichia coli* as a function of pH and lactic acid concentration. *Applied and Environmental Microbiology*. 63: 2355-2360.
- Prindle, R. F. and Wright, E. S. (1977). Phenolic compounds. In "Disinfection, Sterilization and Preservation" (S. S. Block, ed.). pp. 197-224. Lea & Febiger, Philadelphia.

- Quintavalla, S. and Vicini, L. (2002). Antimicrobial food packaging in meat industry. *Meat Science*. 62: 373-380.
- Redl, A., Gontard, N. and Guilbert, S. (1996). Determination of sorbic acid diffusivity in edible wheat gluten and lipid based film. *Journal of Food Science*. 61: 116-120.
- Rico-Pena, D. C. and Torres, J. A. (1990). Oxygen transmission rate of an edible methylcellulose-palmitic acid film. *Journal of Food Process Engineering*. 13: 125-133.
- Rico-Pena, D. C. and Torres, J. A. (1991). Sorbic acid and potassium sorbate permeability of an edible methylcellulose-palmitic acid film: water activity and pH effects. *Journal of Food Science*. 56(2): 497-499.
- Romeu-Nadal, M., Morera-Pons, S., Castellote, A. I. and Lopez-Sabater, M. C. (2006). Rapid high-performance liquid chromatographic method for vitamin C determination in human milk versus an enzymatic method. *Journal of Chromatography B*. 830: 41-46.
- Ross, Z. M., Ogara, E. A., Hill, D. J., Sleighholme, H. V. and Maslin, D. J. (2001). Antimicrobial properties of garlic oil against human enteric bacteria: evaluation of methodologies and comparisons with garlic oil and garlic powder. *Applied and Environmental Microbiology*. 67(1): 475-480.
- Rupasinghe, H. P. V., Boulter-Bitzer, J., Ahn, T. and Odumeru, J. A. (2006). Vanillin inhibits pathogenic and spoilage micro-organisms *in vitro* and aerobic microbial growth in fresh-cut apples. *Food Research International*. 39: 575-580.
- Saftner, R., Abbott, J. A., Lester, G. and Vinyard, B. (2006). Sensory and analytical comparison of orange-fleshed honeydew to cantaloupe and green-fleshed honeydew for fresh-cut chunks. *Postharvest Biology and Technology*. 42: 150-160.
- Savage, P. J. and Savage, G. P. (1994). The effect of coating apples on the quality of stored apples. *Proceedings of the Nutrition Society of New Zealand*. 19: 129-133.
- Scannell, A.G.M., Hill, C., Ross, R.P., Marx, S., Hartmeier, W. and Arendt, K.E. (2000). Development of bioactive food packaging materials using immobilized bacteriocins Lacticin 3147 and Nisaplin. *International Journal of Food Microbiology*. 60: 241-249.
- Schultz, T. H., Miers, J. C., Owens, H. S. and Maclay, W. D. (1949). Permeability of pectinate films to water vapour. *Journal of Physical and Colloid Chemistry*. 53: 1320-1330.
- Shu, X. Z., Zhu, K. J. and Sone, W. (2001). Novel pH-sensitive citrate cross-linked chitosan film for drug controlled release. *International Journal of Pharmaceutics*. 212: 19-28.
- Simpson, B. K., Gagne, N., Ashie, I. N. A. and Noroozi, E. (1997). Utilization of chitosan for preservation of raw shrimp. *Food Biotechnology*. 1: 25-44.
- Siragusa, G. R. and Dickson, J. S. (1992). Inhibition of *Listeria monocytogenes* on beef tissue by application of organic acids immobilized in a calcium alginate gel. *Journal of Food Science*. 57(2): 293-296.

- Srinivasa, P. C., Ramesh, M. N., Kumar, K. R. and Tharanathan, R.N. (2004). Properties of chitosan films prepared under different drying conditions. *Journal of Food Engineering*. 63: 79-85.
- Sudharsan, N. R., Hoover, D. G. and Knorr, D. (1992). Antibacterial action of chitosan. *Food Biotechnology*. 6: 257-272.
- Synowiecki J. and Al-Khateeb, N. (2003). Production, properties, and some new applications of chitin and its derivatives. *Critical Reviews in Food Science and Nutrition*. 43: 145-171.
- Torres, J. A., Motoki, M. and Karel, M. (1985). Microbial stabilization of intermediate moisture food surfaces. I. Control of surface preservative concentration. *Journal Food Processing and Preservation*. 9: 75-92.
- Trezzza, T. A. and Krochta, J. M. (2000). Color stability of edible coating during prolonged storage. *Journal of Food Science*. 65(7): 1166-1169.
- Turhan, K. N., Sahbaz, F. and Guner, A. (2001). A spectrophotometric study of hydrogen bonding in methylcellulose-based edible films plasticized by polyethylene glycol. *Journal of Food Science*. 66(1): 59-62.
- Turhan, K. N. and Sahbaz, F. (2004). Water vapor permeability, tensile properties and solubility of methylcellulose-based edible films. *Journal of Food Engineering*. 61: 459-466.
- Turhan, K. N., Sahbaz, F. and Guner, A. (2001). A spectrophotometric study of hydrogen bonding in methyl cellulose-based edible films plasticized by polyethylene glycol. *Journal of Food Science*. 66(1): 59-62.
- Ultee, A., Bennik, M. H. J. and Moezelaar, R. (2002). The phenolic hydroxyl group of carvacrol is essential for action against the food-borne pathogen *Bacillus cereus*. *Applied and Environmental Microbiology*. 68: 1561-1568.
- Ultee, A., Kets, E. P. W. and Smid, E. J. (1999). Mechanisms of action of carvacrol on the food-borne pathogen *Bacillus cereus*. *Applied and Environmental Microbiology*. 65(10): 4606-4610.
- U.S. Food and Drug Administration. (2002). Guidance for industry, preparation of food contact notifications and food additive petitions for food contact substances: chemistry recommendations. [www.cfsan.fda.gov](http://www.cfsan.fda.gov).
- Varshosaz, J. and Alinagari, R. (2005). Effect of citric acid as cross-linking agent on insulin loaded chitosan microspheres. *Iranian Polymer Journal*. 14(7): 647-656.
- Vazquez, B., San Roma, J., Peniche, C. and Cohen, M. E. (1997). Polymeric hydrophilic hydrogels with flexible hydrophobic chains: control of the hydration and interactions with water molecules. *Macromolecules*. 30: 8440-8446.
- Vinci, G., Botre, F. and Mele, G. (1995). Ascorbic acid in exotic fruit: a liquid chromatographic investigation. *Food Chemistry*. 53: 211-214.
- Wang, G. (1992). Inhibition and inactivation of five species of foodborne pathogens by chitosan. *Journal of Food Protection*. 55: 916-919.
- Wendakoon, C. N. and Sakaguchi, M. (1995). Inhibition of amino acid decarboxylase activity of *Enterobacter aerogenes* by active components in spices. *Journal of Food Protection*. 58: 280-283.
- Weng, Y. M. and Hotchkiss, J. H. (1993). Anhydrides as antimycotic agents added to polyethylene films for food packaging. *Packaging Technology and Science*. 6: 123-128.

- Wu, Y. B., Yu, S. H., Mi, F. L., Wu, C. W., Shyu, S. S., Peng, C. K. and Chao, A. C. (2004). Preparation and characterization on mechanical and antibacterial properties of chitosan/cellulose blends. *Carbohydrate Polymers*. 57: 435-440.
- Xu, Y. X., Kim, K. M., Hanna, M. A. and Nag, D. (2005). Chitosan-starch composite film: preparation and characterization. *Industrial Crops and Products*. 21: 185-192.
- Yanishlieva, N. V., Marinova, E. M., Gordon, M. H. and Raneva, V. G. (1999). Antioxidant activity and mechanism of action of thymol and carvacrol in two lipid systems. *Food Chemistry*. 64: 59-66.
- Yin, J., Luo, K., Chen, X. and Khutoryanskiy, V. V. (2006). Miscibility studies of the blends of chitosan with some cellulose ethers. *Carbohydrate Polymers*. 63: 238-244.
- Young, D. H. and Kauss, H. (1983). Release of calcium from suspension-cultured glycine max cells by chitosan, other polycationics and polyamines in relation to effects on membrane permeability. *Plant Physiology*. 73: 698-702.
- Young, D. H., Kohle, H. and Kauss, H. (1982). Effect of chitosan on membrane permeability of suspension cultured glycine max and *Phaseolus vulgaris* cells. *Plant Physiology*. 70: 1449-1454.
- Zactiti, E. M. and Kieckbusch, T. G. (2006). Potassium sorbate permeability in biodegradable alginate films: effect of the antimicrobial agent concentration and crosslinking degree. *Journal of Food Engineering*. 77: 462-467.
- Zhang, L., Lu, Z., Yu, Z. and Gao, X. (2005). Preservation of fresh-cut celery by treatment of ozonated water. *Food Control*. 16: 279-283.
- Zheng, L. Y. and Zhu, Y. F. (2003). Study on antimicrobial activity of chitosan with different molecular weights. *Carbohydrate Polymer*. 73: 698-702.
- Zhuang, R., Beuchat, L. R., Chinnan, M. S., Shewfelt, R. L. and Huang, Y. W. (1996). Inactivation of *Salmonella montevideo* on tomatoes by applying cellulose-based films. *Journal of Food Protection*. 59: 808-812.
- Zivanovic, S., Chi, S. and Draughon, A. F. (2005). Antimicrobial activity of chitosan films enriched with essential oils. *Journal of Food Science*. 70(1):M45-M51.