ชื่อเรื่องวิทยานิพนธ์ แรงสนับสนุนทางลังคม และความหวังในผู้บ่วยฮีโมไดอะลัยลิส

ชื่อผู้เขียน

นางเชา ให่ผิง

คณะกรรมการสอบวิทยานิพนธ์

ผศ.ดร.ลินจง	โปธิบาล	ประธานกรรมการ
รศ.พิกุล	ภ์เปิลุวง	บรรมบาร
รศ.สมบัติ	ไชยวัณณ์	กรรมการ
รศ.ดร.สุกัญญา	ปริสัญญกุล 🏻	กรรมการ
ศ.นพ.จาง	ชูหลิน	กรรมการ

บทคัดย่อ

ความหวังเป็นปัจจัยสำคัญที่มีผลต่อความผาสุกของผู้ป่วยเรื้อรัง การเสริมสร้างความ หวังของผู้ป่วยจึงเป็นเป้าหมายสำคัญอันหนึ่งของการพยาบาล การศึกษาเชิงพรรณาเพื่อหา ความสัมพันธ์ครั้งนี้ มุ่งที่จะบ่งชี้ ระดับของความหวัง และแรงสนับสนุนทางสังคมของผู้ป่วยฮีโม ไดอะลัยลิส กลุ่มตัวอย่าง เป็นผู้ป่วยฮีโมไดอะลัยลิส 41 คน รับการรักษาที่ศูนย์ฮีโมไดอะลัยลิส ของโรงพยาบาลในสังกัดมหาวิทยาลัยการแพทย์แห่งประเทศจีน 2 แห่ง และโรงพยาบาลกองทัพ บก ในเมืองเชินหยาง ประเทศสาธารณรัฐประชาชนจีน เครื่องมือที่ ใช้ในการรวบรวมข้อมูลคือ แบบบันทึกข้อมูลส่วนบุคคลที่ผู้วิจัยสร้างขึ้น ดัชนีวัดความหวังของเฮิร์ธ (Herth Hope Index, HHI) สร้างขึ้น โดยเฮิร์ธ (Herth, 1992) และ แบบวัดแรงสนับสนุนทางสังคม (Personal Resource Questionnaire, PRQ - 85 Part 2) ซึ่งสร้างโดย แบรนด์และไวเนิร์ท (Brand & Weinert, 1988) เครื่องมือที่ใช้ได้ผ่านการหาความเชื่อมั่น โดยค่าสัมประสิทธิ์ความเชื่อมั่นของ HHI และ PRQ - 85 part 2 เท่ากับ .85 และ .91 ตามลำดับ ข้อมูลที่ได้นำมาวิเคราะห์โดยใช้สถิติเชิงพรรณาและหาค่า สัมประสิทธิ์สหสัมพันธ์ของเพียร์สัน ผลการวิเคราะห์ข้อมูลพบว่า ความหวังผู้ป่วยฮีโมไอดะลัยลิส อยู่ในระดับปานกลางถึงสูง ในขณะที่แรงสนับสนุนของทางสังคม อยู่ในระดับปานกลางและแรง สนับสนุนทางสังคมมีความสัมพันธ์ทางบวกในระดับปานกลางกับความหวัง (r = .51, p < .01)

ผลการศึกษาครั้งนี้ได้ให้แนวทางในการปฏิบัติ การศึกษาและการวิจัยทางการพยาบาล และพยาบาลสามารถเสริมสร้างความหวังของผู้ป่วยโดยคำนึงถึงปัจจัยด้านแรงสนับสนุนทาง สังคมของผู้ป่วย Thesis Title

Social Support and Hope

in Hemodialysis Patients

Author

Zhao Haiping

M.N.S.

Medical and Surgical Nursing

Examining committee:

Assistant Professor Dr. Linchong Pothiban Chairman
Associate Professor Pikul Boonchuang Member
Associate Professor Sombat Chaiwan Member
Associate Professor Dr. Sukanya Parisunyakul Member
Professor Zhang Shulin Member

ABSTRACT

Hope is a major factor affecting well-being of the chronically ill patient. Enhancing patient's hope is, therefore, a major goal of nursing. This descriptive correlational study was aimed to identify the level of hope and social support and to ascertain the relationship between hope and social support in hemodialysis patients. A purposive sampling was used to recruit 41 hemodialysis patients attending the three hemodialysis centers of the First, and the Third Teaching Hospitals of China Medical University and the Army Hospital in Shenyang, P.R.China. The instruments used in this study were a Demographic Data Recording Form developed by the researcher; Herth Hope Index (HHI) developed by Herth (1992); and Personal Resource Questionnaire (PRQ)-85 part 2

developed by Brandt and Weinert (1988). Reliability of the two instruments were examined using ten subjects meeting the criteria for selecting sample. Cronbach coefficient alpha obtained were .85 for HHI and .91 for PRQ-85 part 2. The results of this study revealed that hope in hemodialysis patients was at moderate to high level; while social support was at moderate level; and there was a moderately positive relationship between social support and hope (r = .51, p < .01) in hemodialysis patients. The study results provide the implications for nursing practice, rducation, and research. Nurse can enhance patient's hope by increasing his social support.