

ผลการศึกษา พบว่า คุณภาพชีวิตของผู้สูญเสียอวัยวะจากการบาดเจ็บโดยรวมอยู่ในระดับปานกลาง ส่วนคุณภาพชีวิตทั้งสี่ด้านนั้น พบว่าด้านความพึงพอใจในชีวิต และด้านปัจจัยทางสังคมและเศรษฐกิจ อยู่ในระดับปานกลาง ในขณะที่ด้านอัตมโนทัศน์ และด้านสุขภาพและการทำหน้าที่อยู่ในระดับต่ำ

ผลการศึกษาครั้งนี้สามารถนำไปประยุกต์ใช้ในการปฏิบัติการพยาบาล การศึกษาพยาบาล การวิจัยทางการพยาบาล และการบริหารการพยาบาล ทั้งยังให้ความรู้พื้นฐานเกี่ยวกับ คุณภาพชีวิตของผู้สูญเสียอวัยวะจากการบาดเจ็บชาวเงินด้วย

Thesis Title Quality of Life among Traumatic Amputees

Author Mrs. Kou Zengyu

M.N.S. Medical and Surgical Nursing

Examining Committee :

Assistant Professor Dr. Khanokporn	Sucamvang	Chairman
Assistant Professor Thiphaporn	Tungannuay	Member
Lecturer Dr. Pikul	Nantachaipan	Member
Assistant Professor Ladawan	Phumvitchuvate	Member
Professor Lui Miao,	M.D.	Member

Abstract

This descriptive study was conducted to describe the quality of life among traumatic amputees. The sample consisted of 83 traumatic amputees who were purposely selected from the Out-Patient Departments of the three teaching hospitals of China Medical University and at home in Shengyang City, People's Republic of China.

The research instruments used in this study were a Demographic Data Form and the Amputee Quality of Life Questionnaire modified from Zhang Jingping's Quality of Life Questionnaire (Zhang, 1998) which is composed of four dimensions namely life satisfaction, self-concept, health and functioning, and socio-economic factors. The content validity was assessed by a panel of experts and achieved

with the Content Validity Index (C.V.I.) of 0.97. The reliability of the instrument was tested by using test and retest for its stability among 10 amputees. The overall and each dimension reliability were 0.84, 0.82, 0.83, 0.86, and 0.87 respectively. Descriptive statistics were used for data analysis.

The result showed that the overall quality of life among traumatic amputees was at a moderate level. Within the four dimensions, life satisfaction and socio-economic factors were at a moderate level, while self-concept and health and functioning were at a low level.

The findings of this study can be implicated in nursing practice, nursing education, nursing research, and nursing administration. It provides a baseline knowledge for understanding quality of life among Chinese traumatic amputees.