

ไปวิเคราะห์โดยใช้ค่าความถี่ ร้อยละ ค่าเฉลี่ย ค่าเบี่ยงเบนมาตรฐาน และสัมประสิทธิ์สหสัมพันธ์ของเพียร์สัน

ผลการศึกษาพบว่า กลุ่มตัวอย่างส่วนใหญ่ (66% และ 68%) มีการสนับสนุนทางสังคมและคุณภาพชีวิตอยู่ในระดับปานกลาง และการสนับสนุนทางสังคมมีความสัมพันธ์กับคุณภาพชีวิตในระดับปานกลาง อย่างมีนัยสำคัญทางสถิติ ($r = .635, p < .01$)

มหาวิทยาลัยเชียงใหม่
Chiang Mai University

VII

Thesis Title Social Support and Quality of Life among
Laryngectomy Patients

Author Mrs. Cai Yimin

M.N.S. Medical and Surgical Nursing

Examining Committee:

Associate Professor Chaweewan Thongchai	Chairman
Lecturer Chanchai Wankaew	Member
Assistant Professor Wimon Tanasuwan	Member
Assistant Professor Dr Khanokporn Sucamvang	Member
Associate Professor Zhao Jiyuan, M.D.	Member

Abstract

This correlational descriptive study was conducted to describe social support and quality of life of laryngectomy patients and to examine the relationship between these two variables. A purposive sampling was used to select 50 total laryngectomy patients from outpatient department of the three Teaching Hospitals of Hunan Medical University, Changsha, Hunan, People's Republic of China.

Instruments used for data collection were demographic data form, Modified Personal Resource Questionnaire (MPRQ) Part 2 by Yan (1997) from Weinert and Brandt (1987) and Modified Quality of Life Questionnaire by the researcher from Zhang (1998). The reliability of the MPRQ-85 part 2 was

tested in 10 total laryngectomy patients. The Cronbach's alpha coefficients of MPRQ-85 Part 2 was .81. Content Validity Index of Modified Quality of Life Questionnaire (MQLQ) was .91 and the reliability was tested by Cronbach's alpha coefficient. The obtained value was .87. Frequency, percentage, mean, standard deviation, and Pearson correlation coefficient were used for data analysis.

The results of the study indicated that most of subjects (66% and 68%) perceived social support and quality of life at moderate level. There was statistical significant relationship between social support and quality of life at a moderate level. ($r = .635, p < .01$). Implications of findings and further studies were recommended.