ชื่อเรื่องการค้นคว้าแบบอิสระ

ความต้องการของพยาบาลโรงพยาบาลลำปางในการดำเนิน กิจกรรมของสมาคมพยาบาลแห่งประเทศไทย สาขาภาคเหนือ

ชื่อผู้เขียน

นางสมพร เถิศวิริยเสถียร

พยาบาลศาสตรมหาบัณฑิต

สาขาวิชาการบริหารการพยาบาล

## คณะกรรมการสอบการค้นคว้าแบบอิสระ

รองศาสตราจารย์ อุคมรัคน์ สงวนศิริธรรม ประธานกรรมการ รองศาสตราจารย์ ฉวีวรรณ ธงชัย กรรมการ อาจารย์ คร. อวยพร คัณมุขยกุล กรรมการ รองศาสตราจารย์ เทียมศร ทองสวัสดิ์ กรรมการ

## บทคัดย่อ

จากการสำรวจพบว่า พยาบาลในโรงพยาบาลลำปางไม่เป็นสมาชิกสมาคมพยาบาลแห่ง ประเทศไทยร้อยละ 37.39 กิจกรรมของสมาคมสาขาภาคเหนือที่ได้คำเนินการอาจไม่สนองตอบ ความต้องการของพยาบาล การศึกษาครั้งนี้มุ่งศึกษาถึงความต้องการและเปรียบเทียบความต้องการ ของพยาบาลที่เป็นสมาชิก กับที่ไม่เป็นสมาชิกสมาคมพยาบาลแห่งประเทศไทย ของพยาบาล โรงพยาบาลลำปางในการดำเนินกิจกรรมของสมาคมพยาบาลแห่งประเทศไทยสาขาภาคเหนือ กลุ่มตัวอย่าง คือ พยาบาลที่เป็นสมาชิกจำนวน 166 คน และพยาบาลที่ไม่เป็นสมาชิกจำนวน 100 คน เครื่องมือที่ใช้ในการศึกษาเป็นแบบสอบถามที่ผู้สึกษาสร้างขึ้น จากแนวคิดส่วนประสม การตลาดของแมคลาธีและเพอร์รูส (McCarthy & Perreault, 1993) มีค่าความตรงตามเนื้อหา 0.90 และพคสอบความเชื่อมั่นโดยวิธีสัมประสิทธิ์แอลฟาของครอนบาค ได้เท่ากับ 0.89 วิเคราะห์ข้อมูล โดยหาค่าร้อยละ ค่าเฉลี่ย ส่วนเบี่ยงเบนมาตรฐาน และทคสอบ ค่าที

ผลการศึกษาพบว่า

1. กลุ่มตัวอย่างที่เป็นสมาชิกสมาคมพยาบาลแห่งประเทศไทย มีความต้องการในการ

คำเนินกิจกรรมของสมาคมพยาบาลแห่งประเทศไทย สาขาภาคเหนือ โคยรวมอยู่ในระคับมาก  $(\overline{\mathbf{x}}=3.76, \mathrm{SD}=0.43)$  ความต้องการค้านบริการ ด้านสถานที่และความสะควกในการเข้าถึงบริการ ค้านส่งเสริมการตลาดอยู่ในระคับมาก  $(\overline{\mathbf{x}}=4.17, \mathrm{SD}=0.45, \overline{\mathbf{x}}=3.93, \mathrm{SD}=0.72$  และ  $\overline{\mathbf{x}}=3.93, \mathrm{SD}=0.72$  ตามลำคับ) ส่วนค้านอัตราค่าบริการอยู่ในระคับปานกลาง  $(\overline{\mathbf{x}}=2.76, \mathrm{SD}=0.67)$ 

- 2. กลุ่มตัวอย่างที่ไม่เป็นสมาชิกสมาคมพยาบาลแห่งประเทศไทย มีความต้องการใน การคำเนินกิจกรรมของสมาคมพยาบาลแห่งประเทศไทย สาขาภาคเหนือ โคยรวมอยู่ในระคับมาก ( $\overline{x} = 3.78$ , SD = 0.39) ความต้องการค้านบริการ ค้านส่งเสริมการตลาคอยู่ในระคับมากที่สุด ( $\overline{x} = 4.21$ , SD = 0.36,  $\overline{x} = 4.20$ , SD = 0.36 ตามลำคับ) ค้านสถานที่และความสะควกในการ เข้าถึงบริการอยู่ในระคับมาก ( $\overline{x} = 3.92$ , SD = 0.61) ส่วนค้านอัตราค่าบริการอยู่ในระคับปานกลาง ( $\overline{x} = 2.78$ , SD = 0.67)
- 3. ความต้องการของกลุ่มตัวอย่างที่เป็นสมาชิกกับที่ไม่เป็นสมาชิกสมาคมพยาบาลแห่ง ประเทศไทยในการคำเนินกิจกรรมของสมาคมพยาบาลแห่งประเทศไทย สาขาภาคเหนือ โดยรวม และความต้องการค้านอัตราค่าบริการ ค้านสถานที่และความสะควกในการเข้าถึงบริการ ไม่มี ความแตกต่างกัน ส่วนความต้องการค้านบริการ และค้านการส่งเสริมการตลาคมีความแตกต่างกัน อย่างมีนัยสำคัญทางสถิติ (P < 0.05)

ผู้บริหารการพยาบาลโรงพยาบาลลำปางสามารถใช้ผลการศึกษาครั้งนี้ในการสนับสนุน การคำเนินกิจกรรม และส่งเสริมให้พยาบาลมีส่วนร่วมในกิจกรรมของสมาคมพยาบาลแห่ง ประเทศไทย สาขาภาคเหนือ เพิ่มมากขึ้น และสมาคมพยาบาลแห่งประเทศไทย สาขาภาคเหนือ สามารถวางแผนการคำเนินกิจกรรมให้สอดคล้องกับความต้องการของพยาบาล เพื่อจูงใจให้ พยาบาลสมัครเป็นสมาชิกสมาคมพยาบาลแห่งประเทศไทย เพิ่มขึ้น Independent Study Title

Needs Among Nurses in Lampang Hospital Toward the Activities of Nurses Association of Thailand Northern Branch

Author

Mrs. Somporn Lertviriyasatean

M.N.S.

Nursing Administration

**Examining Committee:** 

Assoc. Prof. Udomrat Sngounsiritham Chairman Assoc. Prof. Chaweewan Thongchai Member Lect. Dr. Ouyporn Tonmukayakul Member Assoc. Prof. Tiamsorn Tongswas Member

## ABSTRACT

It was found that 37.39 percents of nurses in Lampang Hospital were not members of Nurses Association of Thailand. The activities provided by Nurses Association of Thailand might not meet the needs of the nurses. This study aimed to describe needs of members and non-members of the Nurses Association of Thailand who worked in Lampang Hospital toward activities of the Nurses Association of Thailand, northern branch. The subjects were randomized sampling included 166 memberships and 100 non-memberships. The instrument was the questionnaire, developed by the investigator based on marketing mix concept (McCarthy & Perreault, 1993) and literature reviewed. The CVI and alpha coefficient of the instrument were obtained with the value of 0.90 and 0.89, respectively. The statistical analysis used for the study were percentage, means, standard deviation and t-test.

The results showed that:

- 1. The subjects who were members of the nurses Association of Thailand showed a high level ( $\bar{x} = 3.76$ , SD = 0.43) of needs toward all the Nurses Association of Thailand, northern branch's activities. The need of services, place and convenience in access to services and promotion were at a high level ( $\bar{x} = 4.17$ , SD = 0.45  $\bar{x} = 3.93$ , SD = 0.72 and  $\bar{x} = 3.93$ , SD = 0.72 respectively). The level of needs in price was to a medium ( $\bar{x} = 2.76$ , SD = 0.67).
- 2. The subjects who were non-members of the Nurses Association of Thailand showed a high level ( $\overline{X} = 3.78$ , SD = 0.39) of needs toward all the Nurses Association of Thailand, northern branch's activities. The needs of service and promotion were at the highest level ( $\overline{X} = 4.21$ , SD = 0.36,  $\overline{X} = 4.20$ , SD = 0.36 respectively). The place and convenience in access to services were at a high level ( $\overline{X} = 3.92$ , SD = 0.61). The level of needs in price was at a medium ( $\overline{X} = 2.78$ , SD = 0.67).
- 3. There were not significant differences of needs among members and nonmembers of the Nurses Association of Thailand in all activities, price and place and convenience in access to services. The needs in service and promotion were significant differences among the two groups (P < 0.05).

Nursing administrators of Lampang Hospital can use the results of this study as a guideline in promotion of the Nurses Association of Thailand, northern branch's activities and providing chances for nurses in participating these activities. At the same time, the Nurses Association of Thailand, northern branch are able to planactivities that can meet the needs of the nurses in order to motivate them to be the membership of the Nurses Association of Thailand.