ชื่อเรื่องวิทยานิพนธ์

เจตคติ บรรทัคฐานกลุ่มอ้างอิง และความตั้งใจในการคุมกำเนิด ของสตรีภายหลังยุติการตั้งครรภ์ไม่พึงประสงค์

ชื่อผู้เขียน

นางวรรณภา กาวิละ

พยาบาลศาสตรมหาบัณฑิต

สาขาวิชาการพยาบาลสตรี

คณะกรรมการสอบวิทยานิพนธ์

รองศาสตราจารย์ เจียรนัย โพธิ์ไทรย์ ประธานกรรมการ
รองศาสตราจารย์ คร. เกสรา ศรีพิชญาการ กรรมการ
ผู้ช่วยศาสตราจารย์ คร. สุจิตรา เทียนสวัสคิ์ กรรมการ
ผู้ช่วยศาสตราจารย์ คร. ทวีลักษณ์ วรรณฤทธิ์ กรรมการ
รองศาสตราจารย์ นันทา เล็กสวัสคิ์ กรรมการ

บทคัดย่อ

การยุติการตั้งครรภ์เป็นปัญหาสุขภาพที่สำคัญประการหนึ่งในกลุ่มสตรีที่ตั้งครรภ์ ไม่พึงประสงค์ เนื่องจากการคุมกำเนิดเป็นวิธีการหนึ่งที่ป้องกันการตั้งครรภ์ไม่พึงประสงค์ใค้ การวิจัยเชิงพรรณนาจึงมีวัตถุประสงค์เพื่อศึกษาเจตคติ บรรทัคฐานกลุ่มอ้างอิง และความตั้งใจใน การคุมกำเนิดของสตรีภายหลังยุติการตั้งครรภ์ไม่พึงประสงค์ และหาความสามารถของเจตคติ และบรรทัคฐานกลุ่มอ้างอิงในการร่วมกันทำนายความตั้งใจในการคุมกำเนิดของสตรีภายหลัง ยุติการตั้งครรภ์ไม่พึงประสงค์ ซึ่งมารับบริการที่หน่วยนรีเวชกรรม แผนกผู้ป่วยนอก โรงพยาบาล มหาราชนครเชียงใหม่ โรงพยาบาลนครพิงค์ และโรงพยาบาลแม่และเด็ก จังหวัดเชียงใหม่ จำนวน 60 ราย เครื่องมือที่ใช้ในการวิจัย ได้แก่ แบบบันทึกข้อมูลส่วนบุคคล แบบวัดเจตคติ แบบวัด บรรทัศฐานกลุ่มอ้างอิง และแบบวัดความตั้งใจในการคุมกำเนิด ที่ผู้วิจัยสร้างขึ้นตามกรอบแนวคิด ทฤษฎีการกระทำด้วยเหตุผลของเอจเซนและฟิชบายน์รวมทั้งเอกสารและงานวิจัยที่เกี่ยวข้อง ซึ่งมี กำคัชนีความตรงตามเนื้อหาเท่ากับ .87, 1.00 และ 1.00 ตามลำคับ ค่าสัมประสิทธิ์อัลฟาของ ครอนบาคของแบบวัดเจตคติเท่ากับ .81 สถิติที่ใช้ในการวิเคราะห์ข้อมูล ได้แก่ สถิติเชิงพรรณนา

และวิเคราะห์ถดถอยพหุกูณแบบขั้นตอน

ผลการศึกษาพบว่า สตรีภายหลังยุติการตั้งกรรภ์ไม่พึงประสงค์มีคะแนนเจตกติต่อการ กุมกำเนิดในระดับสูง ($\overline{X}=59.38$, SD = 14.12) คะแนนบรรทัดฐานกลุ่มอ้างอิงในการกุมกำเนิดใน ระดับสูง ($\overline{X}=23.88$, SD = 5.54) และคะแนนความตั้งใจในการกุมกำเนิดในระดับสูง ($\overline{X}=2.60$, SD = 0.64) นอกจากนี้พบว่า เจตกติและบรรทัดฐานกลุ่มอ้างอิงสามารถร่วมกันทำนายความตั้งใจใน การกุมกำเนิดได้ร้อยละ 57 (p < .01)

ผลการศึกษาครั้งนี้ได้ข้อเสนอแนะแนวทางสำหรับการส่งเสริมให้สตรีมีความตั้งใจในการ คุมกำเนิดภายหลังยุติการตั้งครรภ์ไม่พึงประสงค์ Thesis Title

Attitudes, Subjective Norms, and Intentions to Contraception among Women after Termination of Unwanted Pregnancy

Author

Mrs. Wannapa Gavila

M.N.S

Nursing Care of Women

Examining Committee

Associate Professor Jiaranai Bhosai Chairman
Associate Professor Dr.Kasara Sripichyakan Member
Assistant Professor Dr.Sujitra Tiansawad Member
Assistant Professor Dr.Taweelux Vannarit Member
Associate Professor Nunta Leksawasdi Member

Abstract

Termination of pregnancy is an important health problem among unwanted pregnancy women. Since contraception is a mean to prevent unwanted pregnancy, therefore, the descriptive study was done to examine attitudes, subjective norms, and intentions to contraception, and to determine predictive abilities of attitudes and subjective norms together on intentions to contraception among those women. The subjects were 60 women after termination of unwanted pregnancy who returned to follow up at Gynecological unit of Out-Patient Department of Maharaj Nakorn Chiang Mai Hospital, Nakornping Hospital, and Maternal and Child Hospital in Chiang Mai. The research instruments were Personal Data Recording Form, Attitudes Questionnaires, Subjective Norms Questionnaires, and Intentions Questionnaire to Contraception which were developed by the researcher based on the framework of the reason action theory described by Ajzen and Fishbein as well as related literature. The content validity indices were .87, 1.00, and

1.00, respectively. The Cronbach's alpha coefficients of Attitudes to Contraception Questionnaires was .81. Data were analyzed using descriptive statistics and stepwise multiple regression.

The results of this study indicated that the women after termination of unwanted pregnancy had high level of positive attitudes toward contraception ($\overline{X} = 59.38$, SD = 14.12), subjective norms to contraception ($\overline{X} = 23.88$, SD = 5.54), and intentions to contraception ($\overline{X} = 2.60$, SD = .64). The attitudes and subjective norms together could predict 57 percent of intentions to contraception (p < .01).

The findings suggested the way to promote women's intentions to contraception after termination of unwanted pregnancy.