

ชื่อเรื่องวิทยานิพนธ์	ความเข้มแข็งในการมองโลกและปัจจัยที่เกี่ยวข้องในวัยรุ่นหญิง ที่ถูกทารุณกรรม		
ผู้เขียน	นางสาวพนมวรรณ กำยาน		
ปริญญา	พยาบาลศาสตรมหาบัณฑิต (การพยาบาลสุขภาพจิตและจิตเวช)		
คณะกรรมการที่ปรึกษาวิทยานิพนธ์	รองศาสตราจารย์ ดร.คาราวรรณ	ตะปิ่นตา	ประธานกรรมการ
	อาจารย์ ดร. วรนุช	กิตติสัมพันธ์	กรรมการ
	บทคัดย่อ		

ความเข้มแข็งในการมองโลกเป็นปัจจัยสำคัญปัจจัยหนึ่ง สำหรับการจัดการกับความเครียดที่เกิดขึ้นในวัยรุ่นหญิงที่ถูกทารุณกรรม การวิจัยแบบพรรณนาหาความสัมพันธ์ครั้งนี้มีวัตถุประสงค์เพื่อศึกษาความเข้มแข็งในการมองโลกของวัยรุ่นหญิงที่ถูกทารุณกรรม และศึกษาความสัมพันธ์ระหว่างปัจจัยที่เกี่ยวข้องกับความเข้มแข็งในการมองโลกในวัยรุ่นหญิงที่ถูกทารุณกรรม กลุ่มตัวอย่างที่ใช้ในการศึกษาครั้งนี้เป็นวัยรุ่นหญิงที่ถูกทารุณกรรม จำนวน 97 คน ที่อาศัยอยู่ในสถานสงเคราะห์บ้านเวียงพิงค์และมูลนิธิพุทธรเกษตร จังหวัดเชียงใหม่ ทำการรวบรวมข้อมูลระหว่างเดือนกรกฎาคมถึงสิงหาคม 2552

เครื่องมือที่ใช้ในการวิจัยประกอบด้วย 5 ส่วน คือ 1) แบบสอบถามข้อมูลส่วนบุคคล 2) แบบสอบถามความเข้มแข็งในการมองโลกของ แอนโทนอฟสกี (1987) 3) แบบสอบถามแหล่งประโยชน์ส่วนบุคคลส่วนที่ 2 ของ แบนท์ และ ไวเนิร์ท (1985) 4) แบบสอบถามวิธีการเผชิญปัญหาของ จาโลวิก (1988) และ 5) แบบสอบถามการรับรู้สมรรถนะแห่งตนของ ซีเรอร์ และคณะ (1982) โดยเครื่องมือที่ใช้ในการวิจัยส่วนที่ 2-5 ได้ผ่านการตรวจสอบความเชื่อมั่นของเครื่องมือ และได้ค่าสัมประสิทธิ์แอลฟาของครอนบาคของแบบสอบถามความเข้มแข็งในการมองโลก แบบสอบถามแหล่งประโยชน์ส่วนบุคคลส่วนที่ 2 แบบสอบถามวิธีการเผชิญปัญหาและ

แบบสอบถามการรับรู้สมรรถนะแห่งตนเท่ากับ .87, .81, .82 และ .84 ตามลำดับ วิเคราะห์ข้อมูลโดยใช้สถิติเชิงพรรณนา และสถิติสัมประสิทธิ์สหสัมพันธ์ของสเปียร์แมน

ผลการวิจัย พบว่า ร้อยละ 50.52 ของวัยรุ่นหญิงที่ถูกทารุณกรรมมีความเข้มแข็งในการมองโลกต่ำกว่าค่าเฉลี่ยของกลุ่มตัวอย่าง ($\bar{X}=127.44$) และร้อยละ 49.48 ของวัยรุ่นหญิงที่ถูกทารุณกรรมมีความเข้มแข็งในการมองโลกสูงกว่าค่าเฉลี่ยของกลุ่มตัวอย่าง ทั้งนี้พบว่า การสนับสนุนทางสังคมมีความสัมพันธ์ทางบวกระดับปานกลางกับความเข้มแข็งในการมองโลกของวัยรุ่นหญิงที่ถูกทารุณกรรม อย่างมีนัยสำคัญทางสถิติ ($r_s = .309, p < .01$) กลวิธีการเผชิญปัญหาที่มีความสัมพันธ์ทางบวกระดับต่ำกับความเข้มแข็งในการมองโลกของวัยรุ่นหญิงที่ถูกทารุณกรรม อย่างมีนัยสำคัญทางสถิติ ($r_s = .252, p < .05$) และการรับรู้สมรรถนะแห่งตนมีความสัมพันธ์ทางบวกระดับปานกลางกับความเข้มแข็งในการมองโลกของวัยรุ่นหญิงที่ถูกทารุณกรรม อย่างมีนัยสำคัญทางสถิติ ($r_s = .476, p < .01$)

จากผลการวิจัยชี้ให้เห็นว่า พยาบาลและบุคลากรสุขภาพอื่นที่เกี่ยวข้องควรตระหนักถึงความสำคัญของความเข้มแข็งในการมองโลกและปัจจัยที่เกี่ยวข้องกับความเข้มแข็งในการมองโลกของวัยรุ่นหญิงที่ถูกทารุณกรรม เพื่อให้การพยาบาลที่ส่งเสริมการสนับสนุนทางสังคมความสามารถในการเผชิญปัญหา และการรับรู้สมรรถนะแห่งตน แก่วัยรุ่นหญิงที่ถูกทารุณกรรม เพื่อส่งเสริมความเข้มแข็งในการมองโลกของวัยรุ่นหญิงที่ถูกทารุณกรรมให้สูงขึ้น

Thesis Title	Sense of Coherence and Related Factors Among Abused Female Adolescents		
Author	Miss Phanomwan Kamyam		
Degree	Master of Nursing Science (Mental Health and Psychiatric Nursing)		
Thesis Advisory Committee	Associate Professor Dr. Darawan Thapinta		Chairperson
	Lecturer Dr. Voranut Kitsumban		Member

ABSTRACT

Sense of coherence is one of the important factors in coping with stress in abused female adolescents. This correlational descriptive research was designed to examine sense of coherence and relationship between related factors and sense of coherence among abused female adolescents. The sample was 97 abused female adolescents at the Baanviengping and Buddakasaid home, Chiang Mai province. Data collection was undertaken during July to August, 2009.

The research instrument comprised of 5 parts: 1) The Personal Data Profile, 2) The Antonovsky's Sense of Coherence Scale (1987), 3) The Brandt & Weinert's Personal Resource Questionnaire part two (1985), 4) The Jalawice's Coping Scale (1988), and 5) the Sherer's Self-efficacy Scale (1982). The research instrument parts 2 to 5 were tested for reliability and the Cronbach's alpha coefficients of the Antonovsky's Sense of Coherence Scale, The Brandt & Weinert's Personal Resource Questionnaire part two, The Jalawice's Coping Scale, and the Sherer's Self-efficacy Scale were .87, .81, .82 and .84, respectively. Data analysis was performed using descriptive statistics and Spearman rank correlation coefficient.

The study results revealed that 50.52 percent of the abused female adolescents had their score of sense of coherence lower than the mean score of the sample ($\bar{X} = 127.44$) and 49.48

percent of the abused female adolescents had their score of sense of coherence higher than the mean score of the sample. The results showed a significant positive correlation between social support and sense of coherence at a moderate level ($r_s = .309, p < .01$), a significant positive correlation between coping strategies and sense of coherence at a low level ($r_s = .252, p < .05$) and a significant positive correlation between self-efficacy and sense of coherence at a moderate level ($r_s = .476, p < .01$).

The results of this study suggest that nurses and other health care providers should be aware of the importance of abused female adolescents's sense of coherence and related factors in order to provide nursing care to promote social support, coping ability and self-efficacy among abused female adolescents, for increasing abused female adolescents's sense of coherence.