

## เอกสารอ้างอิง

- กล้านรงค์ ศรีรอด และเกื้อภูล ปิยะจอมขวัญ. 2543. เทคโนโลยีแม่ปิ่ง. ภาควิชาเทคโนโลยีชีวภาพ  
คณะอุตสาหกรรมเกษตร มหาวิทยาลัยเกษตรศาสตร์, กรุงเทพมหานคร. 295.
- กมลพิพิชัย เอกธรรมสุทธิ. 2553. “ผลของซีนไ索โครไอลเซทต่อสมบัติทางกายภาพของฟิล์มน้ำมันบริโภคได้จากแพ้งบุกรุก”. วารสารวิชาการ มหาวิทยาลัยหอการค้า. ปีที่ 30. ฉบับที่ 1: 81-89.
- กมลพิพิชัย เอกธรรมสุทธิ และอดิศักดิ์ เอก索วรรณ. 2543. “ฟิล์มแพ้งบุกรุกนิดเดียวได้”: การเตรียม  
สมบัตินางประการและการนำไปใช้ประโยชน์”. วารสารอาหาร. ปีที่ 24.: 123-137.
- นวีวรรณ จิตพันธุ์. "ชุด kraibut วัตถุให้ความหวานขั้นนิดใหม่" เอกสารวิชาการกองควบคุม  
อาหาร สำนักงานคณะกรรมการอาหารและยา. 2540.หน้า 21 - 22
- ตนัย บุญยเกียรติ. 2540. สรีระวิทยาหลังการเก็บเกี่ยวพืชสวน. ภาควิชาพืชสวน คณะเกษตรศาสตร์.  
มหาวิทยาลัยเชียงใหม่. เชียงใหม่. 260.
- นิธยา รัตนปาณฑ์. 2549. เกษตรอาหาร. พิมพ์ครั้งที่ 2. กรุงเทพมหานคร: ไอเดียนสโตร์: 161-163.
- ปันดดา พวงเกشم. 2540. การเตรียมฟิล์มน้ำมันสำปะหลังและแนวทางการใช้  
ประโยชน์. วิทยานิพนธ์ปริญญาวิทยาศาสตร์มหาบัณฑิต สาขาวิทยาศาสตร์การอาหาร  
คณะอุตสาหกรรมเกษตร มหาวิทยาศาสตร์เกษตรศาสตร์: 3-27.
- พิสิษฐพันธุ์ กาญจนเตชะ. 2554. ผลของสารเพิ่มความยืดหยุ่นต่อฟิล์มจากแพ้งบุกรุกประดับด้วยค่าง  
ในแอลกอฮอล์. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต สาขาวิทยาศาสตร์ความงามและ  
สุขภาพ คณะเภสัชศาสตร์ มหาวิทยาลัยขอนแก่น.
- มาตรฐานผลิตภัณฑ์อุตสาหกรรมก๋วยเตี๋ยว. 2533. กระทรวงอุตสาหกรรม, วารสารมาตรฐาน  
ผลิตภัณฑ์อุตสาหกรรมก๋วยเตี๋ยว นอ ก. 959-2533.
- วิภา ศุโรจนะเมฆากุล. 2546. “คุณสมบัติและประโยชน์ของกลีเซอรอล”. วารสารอาหาร. ปีที่ 33.  
ฉบับที่ 1 : 87-89.
- วรรณมนทน์ ชาญจารุจิตร์, ปีนาดา จิตอารีย์, กีรตินาฏ พุลเกษตร และอนุวัตร แจ้งชัด. 2551. อิทธิพล  
ของชนิดแพ้งต่อกุณสมบัติการคัดซับความชื้นของฟิล์ม. การประชุมทางวิชาการของ  
มหาวิทยาลัยเกษตรศาสตร์. 46: 588-595-595.

สุคนชา สุคนธ์ชารา. การเตรียมและสมบูติของฟิล์มแป้งมันสำปะหลังผสมเจลาติน. เคมีอุตสาหกรรม.  
มหาวิทยาลัยเชียงใหม่.

สำนักงานเศรษฐกิจอุตสาหกรรม กระทรวงอุตสาหกรรม “อุตสาหกรรมแป้งรูปข้าว.” ไฟล์ข้อมูล  
[www2.nesac.go.th](http://www2.nesac.go.th) 24 เมษายน 2555

ทั้งหุ้นส่วนจำกัดอิสระยิปส์. 2555. เลขที่ตั้ง 302 ถ.ป่าตัน ต.ป่าตัน อ.เมือง เชียงใหม่ 50300  
อรอนงค์ นัยวิกุล. 2540. เทคโนโลยีการผลิตและการพัฒนาผลิตภัณฑ์กวยเตี๋ยวสดและอบแห้ง.  
วารสารอุตสาหกรรมเกษตร. 8(3): 74-78.

อรอนงค์ นัยวิกุล. 2547. ข้าว. วิทยาศาสตร์และเทคโนโลยีอาหาร. ภาควิชาวิทยาศาสตร์และ  
เทคโนโลยีอาหาร. กรุงเทพมหานคร. มหาวิทยาลัยเกษตรศาสตร์. 10-60.

Alcantara C.R., Rumsey, T.R. and Krochta, J.M. 1998. Drying Rate Effect on the Properties of  
Whey Protein Films. *Journal of Food Process Engineering*. 21: 387-405.

AOAC, 2000. “Official methods analysis of Analysis of AOAC International (17<sup>th</sup> ed.) USA”,  
Arlington,VA: Association of Official Analytical Chemists International.

ASTM. 1995. Standard test method for tensile properties of thin plastic sheeting. D882. Annual  
Book of ASTM Standards. American Society for Testing and Materials, Philadelphia,  
USA.

Andreuccetti, C., Carvalho, R. A., Galicia-Garcia, T., Martinez-Bustos, F., Gonzalez-Nunez, R.,  
Grosso, C.R.F. 2012. Functional properties of gelatin-based films containing Yucca  
schidigera extract produced via casting, extrusion and blown extrusion processes: A  
preliminary study. *Journal of Food Engineering*. 113: 33–40.

Arvnitoyanis, I., Psomiadou, E., Nakayama, A., Aiba, S. and Yamamoto, N. 1997. Edible film made  
from gelatin, soluble starch and polyol Part 3. *Food Chemistry*. 60(4): 593-604.

Averous, L., Fringant, C. and Moro, L. 2001. Plasticized starch-cellulose interactions in  
polysaccharides composites. *Polymer*. 42: 6565–6572.

Averous, L. and Boquillon N. 2004 Biocomposites based on plasticized starch: thermal and  
mechanical behaviors. *Carbohydrate Polymer*. 56(2): 111–22.

Aytunga Arık Kibar. E. and Ferhunde, U. 2013. Thermal, mechanical and water adsorption  
properties of corn starch-carboxymethylcellulose/methylcellulose biodegradable films.  
*Journal of Food Engineering*. 114: 123-131.

- Blanshard, J.M.V. 1987. Starch granule structure and function : A Physicochemical Approach. In Starch : Properties and Potential. (GALLIARD, T.ed.), John Wiley & Sons., New York. Chichester: 16-54.
- Beynim, G.M.A.V. and Roles, J.A. 1985. Starch Conversion Technology. Marcel Dekker, Inc., New York. 326.
- Bordes, P., Pollet, E. and Avérous, L. 2009. Nano-biocomposites: biodegradable polyester/nanoclay systems. *Progress in Polymer Science*. (2): 125-55.
- Bourtoom, T. and Chinnan, M.S. 2008. Preparation and properties of rice starch-chitosan blend biodegradable film. *LWT - Food Science and Technology* . 4: 1633-1641.
- Bourtoom, T. 2009. Review article edible protein films: properties enhancement. *International Food Research Journal*. 16: 1-9.
- Brunauer, S., Emmett, P.H. and Teller, E. 1938. The adsorption of gases in multimolecular layer. *Journal of the American Chemical Society*. 60: 309.
- Bustillos, R.J.A. and Krochta, J.M. 1993 . Water vapor Permeability of caseinate based Edible Films as Affected by pH, Calcium Cross Linking and Lipid Concentration. *Journal of food Science*. 58: 904-907.
- Butler, B.L., Vergano, P.J., Testin, R.F., Bunn, J.M. and Wiles J.L. 1996. Mechanical and Barrier Properties of Edible Chitosan Films as affected by Composition and Storage. *Journal of Food Science*. 61: 953-956.
- Cagri, A., Ustunol, Z. and Ryser, E.T. 2001. Antimicrobial, mechanical, and moisture barrier properties of low pH whey protein-based edible films containing p-aminobenzoic or sorbic acids. *Journal of Food Science*. 66: 865-870.
- Cao N., Yang, X. and Fu, Y. 2009. Effects of various plasticizers on mechanical and water vapor barrier properties of gelatin films. *Food Hydrocol.* 23(3): 729-35.
- Cha D.S., Cooksey K., Chinnan M.S., and Park H.J. 2003. Release of nisin from various heat-pressed and cast films. *LWT - Food Science and Technology*. 36: 209-213.
- Cerqueira, M.A., Souza, B.W. S., Teixeira J.A. and Vicente, A.A. 2012. Effects of Interactions between the Constituents of Chitosan-Edible Films on Their Physical Properties. *Food Bioprocess Technol.* 5, 3181-3192.

- Chillo, S., Flores, S., Mastromatteo, M., Conte, A., Gerschenson, L.a. and Nobile, M.A.D. 2008. Influence of glycerol and chitosan on tapioca starch-based edible film properties. *Journal of Food Engineering*. 88: 159-168.
- Chiumarelli, M. and Hubinger, M.D. 2012. Stability, solubility, mechanical and barrier properties of cassava starch-carnauba wax edible coatings to preserve fresh-cut apples. *Food Hydrocolloids*. 28: 59-67.
- Chiumarelli, M., Pereira, L.M., Ferrari, C.C., Sarant'opoulos, C.I.G.L. and Hubinger, M.D. 2010. Cassava starch coating and citric acid to preserve quality parameters of fresh-cut “Tommy Atkins” mango. *Journal of Food Science*. 75: E297-E304.
- Cho, S.Y., Lee, S.Y. and Rhee, C. 2010. Edible oxygen barrier bilayer film pouches from corn zein and soy protein isolate for olive oil packaging. *LWT - Food Science and Technology*. 43: 1234-1239.
- Chuaynukul, K., Prodpran, T., and Benjaku, S. Effect of Preheating Condition on Properties of Bovine-Hide and Fish-Skin Gelatin Films Prepared from Thermo-Compression Molding Technique. Proceedings of the 7th IMT-GT UNINET and The 3rd International PSU-UNS Conferences on Bioscience. 7-8 October 2010, Prince of Songkla University, Hat Yai, Songkhla, Thailand
- Colla, E., Sobral, P.J.d.A. and Menegalli, F. C. 2006. Amaranthus cruentus flour edible films: Influence of stearic acid addition, plasticizer Concentration, and Emulsion Stirring Speed on Water Vapor Permeability and Mechanical Properties. *Journal of Agricultural and Food Chemistry*. 54: 6653-6654.
- Constancia, A., Stefania, C., Amalia, C., Matteo, A. D. N., Silvia, F., and Lía, N. G. 2013. Optimization of physical properties of xanthan gum/tapioca starch edible matrices containing potassium sorbate and evaluation of its antimicrobial effectiveness. *LWT - Food Science and Technology*. 53: 290-296.
- Cuq, B., Gontard, N. and Guilbert, S. 1998. Proteins as agricultural polymers for packaging production. *Cereal Chemistry*. 75: 1-9.

- Dias, A.B., Müller, C.M.O., Larotonda, F.D.S. and Laurindo, J.B. 2011. Mechanical and barrier properties of composite films based on rice flour and cellulose fibers. *LWT – Food Science and Technology*. 44: 535-542.
- Dias, A.B., Iler, C.M.O.M., Larotonda, F.b.D.S. and Laurindo, J.o.B. 2010. Biodegradable films based on rice starch and rice flour. *Journal of Cereal Science*. 51: 213-219.
- De la Cruz, G.V., Torres, J.A. and Martin-Polo, M.O. 2001. Temperature effect on the moisture sorption isotherms for methylcellulose and ethylcellulose films. *Journal of Food Engineering*. 48 : 91-94.
- Donhowe, I. G., Fennema, O. 1993. The effects of plasticizers on crystallinity, permeability, and mechanical properties of methylcellulose films. *Journal of Food Processing and Preservation*. 17: 247–257.
- Ekthamasut, K. and Akesowan, A. 2001. Effect of vegetable Oils on Physical Characteristics of Edible Konjac Films. *Australia Science and Technology*. 5: 73-78.
- Enrione, J., Osorio, F., Pedreschi, F. and Hill, S. 2010. Prediction of the Glass Transition Temperature on Extruded Waxy Maize and Rice Starches in Presence of Glycerol. *Food Bioprocess Technology*. 3: 791-796.
- Fakhoury, F.M. , Martelli, S.M., Bertan, L.C., Yamashita, F., Mei, L.H.I. and Queiroz, F.P. C. 2012. Edible films made from blends of manioc starch and gelatin -Influence of different types of plasticizer and different levels of macromolecules on their properties. *LWT - Food Science and Technology*. 49: 149-154.
- Fama, L., Rojas, A.M., Goyanes, S. and Gerschenson, L.a. 2005. Mechanical properties of tapioca-starch edible films containing sorbates. *LWT*. 38: 631-639.
- Flores, S., Conte A., Campos, C., Gerschenson, L. and Nobile, M. D. 2007. Mass transport properties of tapioca-based active edible films. *Journal of Food Engineering*. 81: 580-586.
- Fu, Z.Q., Wang, L.J. , Li, D., Wei, Q. and Adhikari, B. 2011. Effects of high-pressure homogenization on the properties of starch-plasticizer dispersions and their films. *Carbohydrate Polymers*. 86: 202-207.

- Funke, U., Bergthaller, W. and Lindhauer, M.G. 1998. Processing and characterization of biodegradable products based on starch. *Polymer Degradation and Stability*. 59(1-3): 8-293.
- Galdeano, M.C., Grossmann, M.V.E., Mali, S., Bello-Perez, L.A., García, M.A., and Zamudio-Flores, P.B. 2009. Effects of production process and plasticizers on stability of films and sheets of oat starch. *Materials Science and Engineering: C - Journal*. 29(2): 8-492.
- Galliard, T., and Bowler, P., 1987. Morphology and composition of starch. In T. Gaillaud (Ed.). *Starch: Properties and Potential*. John Wiley and Sons., New York.
- Galiotta, G., Di Gioia, L., Guilbert, S., and Cuq, B. 1998. Mechanical and thermomechanical properties of films based on whey proteins as affected by plasticizer and crosslinking agents. *Journal of Dairy Science*. 81(12): 3123-3130.
- García, L.C., Pereira, L.M., Sarantópolos, C.I.G.d.L., and Hubinger, M.D. 2010. Selection of an edible starch coating for minimally processed strawberry. *Food Bioprocess and Technology*. 3: 834-842.
- García, M. A., Martino, M.N. and Zaritzky, N.E. 2000. Lipid addition to improve barrier properties of edible starch-based films and coatings. *Journal of Food Science*. 65: 941-944.
- García, M. A., Martino, M.N. and Zaritzky, N.E. 2000. Microstructural characterization of plasticized starch-based films. *Starch/Starke*. 52: 118-124.
- Ghanbarzadeh, B., Almasi, H. and Entezami, A.A. 2011. Improving the barrier and mechanical properties of corn starch-based edible films: effect of citric acid and carboxymethyl cellulose. *Industrial Crops and Products*. 33: 229-235.
- Ghanbarzadeh, B. and Oromiehi, A.R. 2008. Biodegradable biocomposite films based on whey protein and zein: barrier, mechanical properties and AFM analysis. *International Journal of Biological Macromolecules*. 43. 209-215.
- Gontard, N., Guilbert, S. and Cuq, J.L. 1992. Edible wheat gluten films: influence of the main process variables on film properties using response surface methodology. *Journal of Food Science*. 57: 190-195.

- Jangchud, A. and M.S. Chinnan. 1999. Properties of peanut protein film: Sorption isotherm and plasticizer effect. *LWT*. 32: 89-94.
- Jangchud, A. and Chinnan, M.S. 1999. Properties of Peanut Protein film: sorption isotherm and plasticizer effect. *Lebensmittel-Wissenschaft und-Technologie*. 32(2): 79-84.
- Javanmard, M. 2008. Shelf life of whey protein-coated pistachio kernel (Pistacia Vera L.). *Journal of Food Process Engineering*. 31. 247-259.
- Kang, H.J. and Min, S.C. 2010. Potato peel-based biopolymer film development using high-pressure homogenization, irradiation, and ultrasound. *LWT - Food Science and Technology*. 43: 903-909.
- Kaya, S. and Kaya, A. 2000. Microwave drying effect on properties of whey protein isolate edible film. *Journal of Food Engineering*. 43: 91-96.
- Kester, J. J. and Fennema, O. R. 1986. Edible films and coatings: A review. *Food Technology*: 47-59.
- Kim, S.J. and Ustunol, Z. 2001. Solubility and moisture sorption isotherms of whey-protein-based films as influenced by lipid and plasticizer incorporation. *Journal of Agricultural & Food Chemistry*. 49: 4388-4391.
- Kramer, M.E. 2009. Structure and Function of Starch-Based Edible Films and Coatings, in Edible Films and Coatings for Food Applications. M.E. Embuscado and K.C. Huber. Editors. *Springer*: New York.
- Kristo, E. and Biliaderis, C.G. 2006. Water sorption and thermo-mechanical properties of water/sorbitol-plasticized composite biopolymer films: caseinato pullula bilayers and blends. *Food Hydrocolloids*. 20(7): 71-1057.
- Krochta, J. M. and Mulder, C. L. C. D. 1995. *Biodegradable polymers from agricultural products, in Agriculture as a Renewable Source of Raw Materials* (Ed. G. Fuller, D. Bills) ACS Symposium Series, American Chemical Society, Washington, DC.
- Krochta, J. M. and Mulder-Johnston, C.D. 1997. Edible and biodegradable polymer films: challenges and opportunities. *Food Technology*. 51: 61-74.
- Krogars, K., Heinämäki, J., Karjalainen, M., Rantanen, J., Luukkonen, P. and Yliruusi, J. 2003. Development and characterization of aqueous amylose-rich maize starch dispersion for

- film formation. *European Journal of Pharmaceutics and Biopharmaceutics*. 56: 215-221.
- Kuorwel, K.K., Cran, M.J., Sonneveld, K., Miltz, J. and Bigger, S.W. 2011. Antimicrobial Activity of Biodegradable Polysaccharide and Protein-Based Films Containing Active Agents. *Journal of Food Science*. 76: 90-102.
- Laohakunjit, N. and Noomhorm, A. 2004. Effect of Plasticizers on Mechanical and Barrier Properties of Rice Starch Film. *Starch/Starke*. 56: 348-356.
- Li, M., Liu, P., Zou, W., Yu, L., Xie, F., Pu, H., Liu, H. and Chen, L. 2011. Extrusion processing and characterization of edible starch films with different amylose contents. *Journal of Food Engineering*. 106: 95-101.
- Li Shen, X., Min Wu, J., Chen, Y. and Zhoa, G. 2010. Antimicrobial and physical properties of sweet potato starch films incorporated with potassium sorbate or chitosan. *Food Hydrocolloides*. 24: 285-290.
- Li, Y., Shoemaker, C.F., Ma, J., Shen, X. and Zhong, F. 2008. Paste viscosity of rice starches of different amylose content and carboxymethylcellulose formed by dry heating and the physical properties of their films. *Food Chemistry*. 109: 616-623.
- Liu, Z., Edible films and coatings from starches. *Innovations in Food Packaging*: 318-337.
- Lopez, O.V., Garcia, M.A. and Zaritzky, N.E. 2008. Film forming capacity of chemically modified corn starches. *Carbohydrate Polymers*. 73: 573-581.
- Lourdin, D., Dell Valle G. and Colonna, P. 1995. Influence of amylose content on starch films and foams. *Carbohydrate Polymers*. 27: 261-270.
- Lucía, F., A, M. R., Silvia, G. and Lía, G. 2005. Mechanical properties of tapioca-starch edible films containing sorbates. *LWT* 38: 631-639
- Mali, S., Grossmann, M.V.E., García, M.A., Martino, M.N. and Zaritzky, N.E. 2006. Effects of controlled storage on thermal, mechanical and barrier properties of plasticized films from different starch sources. *Journal of Food Engineering*. 75: 453-460.
- Mali, S., Sakanaka, L.S., Yamashita, F. and Grossmann, M.V.E. 2005. Water sorption and mechanical properties of cassava starch films and their relation to plasticizing effect. *Carbohydrate Polymers*. 60: 283-289.

- Mariniello, L., Pierro, P.D., Esposito, C., Sorrentino, A., Masi, P. and Porta, R. 2003. Preparation and mechanical properties of edible pectin–soy flour films obtained in the absence or presence of transglutaminase. *Journal of Biotechnology*. 102: 191-198.
- Maria G.C.d.C., Miguel, A.C., Bartolomeu, W.S.S., Marthyna, P.S., Jos, A.T. and Antonio, A.V. 2009. Physical properties of edible coatings and films made with a polysaccharide from *Anacardium occidentale* L. *Journal of Food Engineering*. 95: 379-385.
- Mathew, A., Dufresne, A.. 2002. Plasticized Waxy Maize Starch: Effect of polyols and Relative Humidity on Material Properties. *Biomacromolecules*. 3(5): 1101-1108.
- McHugh, T. H., Aujard, J. F., Krochta, J. M. 1994. Plasticized whey protein edible films: water vapor permeability properties. *Journal of Food Science*. 59(2): 416–419.
- McHugh, T. H., Krochta, J. M. 1994. Sorbitol-vs glycerol-plasticized whey protein edible films: Integrated oxygen permeability and tensile property evaluation. *Journal of Agriculture and Food Chemistry*. 42(4): 841–845.
- Mehyar, G.F. and Han, J.H. 2004. Physical and mechanical properties of high amylose rice and pea starch films as affected by relative humidity and plasticizer. *Journal of Food Science*. 69: E449-454.
- Ming, L., Peng, L., Wei, Z., Long, Y., Fengwei, X., Huayin, P., Hongshen, L., Ling, C. 2011. *Extrusion processing and characterization of edible starch films with different amylose contents*. Journal of Food Engineering. 106: 95–101.
- Mopoung, S., Sirikulkajorn, A., Dummun, D. and Luethanom, P. 2012. Nanocarbonfibril in rice flour charcoal. *International Journal of the Physical Sciences*. 7: 214 – 221.
- Mooney, B.P. 2009. The second green revolution: Production of plant-based biodegradable plastics. *Biochemical Journal*. 418: 219-232.
- Muller, C. M. O., Yamashita, F. and Laurindo, J.B. 2008. Evaluation of the effects of glycerol and sorbitol concentration and water activity on the water barrier properties of cassava starch films through a solubility approach. *Carbohydrate Polymers*. 72: 82-87.
- Naga, M., Kirihsara, S., Tokugawa, Y., Tsuda, F. and Hirotsuka, M. 1996. Process for producing edible proteinaceous film. *US Patent* . 5: 482-569

- Nascimento ,T.A., Calado ,V. and Carvalho, C.W.P. 2012. Development and characterization of flexible film based on starch and passion fruit mesocarp flour with nanoparticles. *Food Research International*.
- Food and Drugs Administration (FDA). 2005. Code of Federal Regulation 172.850. Title 21. Part 182-Substances Generally Recognized As Safe.
- Paes, S.S., Yakimets, I. and Mitchell, J.R. 2008. Influence of gelatinization process on functional properties of cassava starch films. *Food Hydrocolloids*. 22: 788-797.
- Pagella, C., Spigno, G. and Faveri, D.D.M. 2002. Characterization of starch based edible coatings. *Food and Bioproducts Processing*. 80: 193-198.
- Parra, D.F., Tadini, C.C., Ponce, P. and Luga~o, A.B. 2004. Mechanical properties and water vapor transmission in some blends of cassava starch edible films. *Carbohydrate Polymers*. 58: 475-481.
- Paschoalick, T.M., Garcia, F.T., Sobral, P.J.A., and Habitante, A.M.Q.B. 2003. Characterization of some functional properties of edible film based on muscle proteins of Nile Tilapia. *Food Hydrocolloid*. 17: 419-427.
- Perdomo, J., Cova, A., Sandoval, A.J., García , E. L. and Müller, A.J. 2009. Glass transition temperatures and water sorption isotherms of cassava starchCarbohydrate Polymers. 76: 305-313.
- Perettoa, G., Du, W. X., Avena-Bustillos, R. J., Sarreal, S. B. L., Hua, S. S. T., Sambo, P., McHugh, T. H. 2010. Increasing strawberry shelf-life with carvacrol and methyl cinnamate antimicrobial vapors released from edible filmsGreta. *Postharvest Biology and Technology*. 89: 11-18.
- Péroval, C., Debeaufort, F., Despré D. and Voilley, A. 2002. Edible arabinoxylan-based films : effects of lipid type on water vapor permeability, film structure, and other physical characteristics. *Journal of Agricultural and Food Chemistry*. 50: 3977-3983.
- Pitak, N. and Rakshit, S.K. 2011. Physical and antimicrobial properties of banana flour/chitosan biodegradable and self sealing films used for preserving Fresh-cut vegetables. *LWT - Food Science and Technology*. 44: 2310-2315.

- Rachtanapu, P. and Tongdeesoontorn, W. 2009. Effect oof Antioxidants on Properties of Rice Flour/Cassava starch Film Blends Plasticized with Sorbitol. *Kasetsart Journal: Natural Science*. 43: 252-258.
- Rahman, S. 1995. *Food Properties Handbook*. New York: CRC Press, Inc
- Rayas, L.M. and Hernández, R.J. 1997. Development and characterization of biodegradable/edible wheat protein films. *Journal of Food Science*. 62: 160-164.
- Rindlav-Westling, A., Stading, M., Hermansson, A. M. and Gatenholm, P. 1998. Structure, mechanical and barrier properties of amylose and amylopectin films. *Carbohydrate Polymers*. 36: 217-224.
- Rodríguez, M., Ose's J., Ziani, K. and Mate, J.I. 2006. Combined effect of plasticizers and surfactants on the physical properties of starch based edible films. *Food Research International*. 39: 840-846.
- Russ, W. and Meyer-Pittroff, R. 2004. Utilizing waste products from the food production and processing industries. *Critical Reviews in Food Science and Nutrition*. 44: 57-62.
- Ryu, S.Y., Rhim, J.W., Roh, H.J. and Kim, S.S. 2002. Preparation and physical properties of zein-coated high-amylase corn starch film. *LWT*. 35: 680-686.
- Santosa, F.X.B. and Padua, G.W. 1999. Tensile properties and water absorption of zein sheets plasticized with oleic and linoleic acids. *Journal of Agriculture and Food Chemistry*. 47(5): 4-2070.
- Siew, D. C. W., Heilmann, C., Easteal, A. J., Cooney, R. P. 1999. Solution and film properties of sodium caseinate/glycerol and sodium caseinate/polyethylene glycol edible coating systems. *Journal of Agriculture and Food Chemistry*. 47(8): 3432–3440.
- Silvia, F., Lucía, F., Ana, M. R., Silvia, G. and Lía G. 2007. Physical properties of tapioca-starch edible films: Influence of filmmaking and potassium sorbate. *Food Research International* . 40: 257-265.
- Smith, A.L.M., Kruiskamp, P.H., Van Soest, J.J.G. and Vliegenthart, J.F.G. 2003. Interaction between dry starch and glycerol or ethylene glycol, measured by differential scanning calorimetry and solid state NMR spectroscopy. *Carbohydrate Polymer*. 53(4): 16-409.
- Smith, R.J. 1979. *Food Carbohydrate*. The AVI Publish Co., Westort, Connecticut. 416.

- Sobral, P.J.A. 2000. Influe^ncia da espessura sobre certas propriedades de biofilmes a` base de proteí^nas miofibrilares. *Pesquisa Agropecuária Brasileira*. 35: 1251-1259.
- Sobral, P.J.A, Santos, J.S. and García, F.T. 2005. Effect of protein and plasticizer concentrations in film forming solutions on physical properties of edible films based on muscle proteins of a Thai Tilapia. *Journal of Food Engineering*. 70(1): 93-100.
- Sothornvit, R. and Songtip, S. 2012. Properties of compression-molded banana-based sheets compared with banana flour. *Acta Horticulturae*. 928: 243-250.
- Taqi, A., Askar, K.A., Nagy, K., Mutihac, L. and Stamatin, I. 2011. Effect of different concentrations of olive oil and oleic acid on the mechanical properties of albumen (egg white) edible films. *African Journal of Biotechnology*. 10: 12963-12972.
- Tapia-Blácido, D., Sobral, P.J.A. and Menegalli, F.C. 2005. Development and characterization of edible films based on amaranth flour (*Amaranthus caudatus*). *Journal of Food Engineering*. 67: 215-223.
- Tharanathan, RN. 2003. Biodegradable films and composite coatings: past, present and future. *Trends Food Science Technology*. 14(3): 8-71.
- Thomazine, M., Carvalho, R.A and Sobral, P.J.A. 2005. Physical properties of gelatin films plasticized by blends of glycerol and sorbitol. *Journal of Food Science*. 70(3): 6-172.
- Turhan, K.N. and Sahbaz, F. 2004. Water vapor permeability, tensile properties and solubility of methylcellulose-based edible films. *Journal of Food Engineering*. 61: 459-466.
- Vanessa, D., Suzana, M., Adelaide, B. and Maria, V. 2007. Effect of glycerol and amylose enrichment on cassava starch films properties. *Journal of Food Engineering*. 78: 941-949.
- Vargas, M., Pastor, C., Chiralt, A., McClements, D.J. and González-Martínez, C. 2008. Recent advances in edible coatings for fresh and minimally processed fruits. *Critical Reviews in Food Science and Nutrition*. 48: 496-511.
- Villalobos, R., Hernandez, M.P. and Chiralt, A. 2006. Effect of surfactants on water sorption and barrier properties of hydroxy methylcellulose films. *Food-Hydrocolloids*. 20: 502-509.
- Waliszewski, K.N., Aparricio, M.A., Bello, L.A. and Monroy, J.A. 2003. Changes of banana starch by chemical and physical modification. *Carbohydrate polymers*. 52(3): 237-241.

- Williams, R. and Mittal, G.S. 1999. Water and Fat Transfer Properties of Polysaccharide Films on Fried Pastry Mix. *LWT*. 32: 440-445.
- Wittaya, T. and Sopanodora, P. 2009. Effect of some process parameters on the properties of edible film produced from Lizard Fish (*Saurida undosquamis*) Muscle. *KMITL Science and Technology Journal*. 9: 27-32.
- Xiao, L. S., Jia, M. W. and Yonghong, C. G.Z. 2010. Antimicrobial and physical properties of sweet potato starch films incorporated with potassium sorbate or chitosan. *Food Hydrocolloids*. 24: 285-290.
- Xu, Y.X., Kim, K.M., Hanna, M.A. and Nag, D. 2005. Chitosan–starch composite film: preparation and characterization. *Industrial Crops and Products*. 21:185-192.
- Yan, Q., Hou, H., Guo P. and Dong, H. 2012. Effects of extrusion and glycerol content on properties of oxidized and acetylated corn starch-based films. *Carbohydrate Polymers*, 87: 707-712.
- Yu, L., Dean, K. and Li, L. 2006. Polymer blends and composites from renewable resources. *Polymer Science*. 31: 576-602.
- Zhang, Y.C. and Han, J.H. 2006. Mechanical and thermal characteristics of pea starch films plasticized with monosaccharides and polyols. *Journal of Food Science* .71: E109-E118.
- Zhang, Y. and Han, J.H. 2008. Sorption isotherm and plasticization effect of moisture and plasticizers in pea starch film. *Journal of Food Science*. 73: E313–E324.
- Zhang, H. and Mittal, G. 2010. Biodegradable protein-based films from plant resources: a review. *Environmental Progress & Sustainable Energy*. 29: 203-220.
- Zhao, R., Torley, P. and Halley, P.J. 2008. Emerging biodegradable materials: starch- and protein-based bio-nanocomposites. *Journal of Materials Science*. 43: 3058-3071.
- Zubair, F. and Ashraf, A. I. 2012. QA/QC of flours using the Agilent Cary 630 ATR-FTIR analyzer. *Food testing and agriculture*: 1-4.