

REFERENCE

- Aggarwal, P. and Sandhu, K.S. 2004. Effect of hydrocolloids on the limonin content of Kinnow juice. **J. Food Agriculture and Environment**. 2(1): 44-48.
- Anonymous. 2007. Carboxymethyl cellulose (CMC). Available on: http://en.wikipedia.org/wiki/Carboxymethyl_cellulose. [2007, 1 July].
- Anonymous. 2007. lime (fruit). Available on: http://en.wikipedia.org/wiki/Lime_%28fruit%29. [2007, 1 July].
- Anonymous. 2007. Key lime. Available on: http://en.wikipedia.org/wiki/Key_lime. [2007, 1 July].
- Anonymous. 2007. Pectin. Available on: <http://en.wikipedia.org/wiki/Pectin>. [2007, 1 July].
- AOAC. 2000. **Official methods of the association of official analytical chemists**. 17th edition. The association of Analytical Communities, Washington D.C.
- Ashie, I.N.A. 1995. **Application of high hydrostatic pressure and alpha-macroglobulin to control post harvest seafood texture deterioration**. Ph.D. Thesis. Department of Food Science and Agricultural Chemistry, Macdonaid Campus McGill University, Montreal, Quebec.
- Ashurst, P.R. 2005. **Fruit and juice processing**. 2nd ed. Blackwell Publishing Ltd, Oxford, UK.
- Barbosa-Canovas, G.V. and Rodriguez, J.J. 2002. Update on nonthermal food processing technology: Pulsed electric, high hydrostatic pressure, irradiation, and ultrasound. **Food Australia**. 54(11): 513-520.
- Basak, S. and Ramaswamy, H.S. 1996. Ultra high-pressure treatment of orange juice: A kinetic study of inactivation of pectin methyl esterase. **Food Research International**. 29: 601-607.

- Basak, S. and Ramaswamy, H.S. 1998. Effect of high hydrostatic pressure processing (HPP) on the texture of selected fruits and vegetables. **Journal Texture of Studies**. 29: 587-601.
- Bayindirli, A., Alpas, H., Bozog lu, F. and Hizal, M. 2006. Efficiency of high pressure treatment on inactivation of pathogenic microorganisms and enzymes in apple, orange, apricot and sour cherry juices. **Food Control**. 17: 52–58.
- Blanshard, J.M.V. and Mitchell, J.R. 1979. **Polysaccharides in food**. Butterworths, London.
- Braddock, R.J. 1999. **Handbook of citrus by-products and processing Technology**. John Wiley and Sons, Inc., New York.
- Braverman. J.B.S. 1949. **Citrus products: Chemical composition and chemical technology**. Inter science, New York.
- Bruneton, J. 1999. **Toxic plants dangerous to humans and animals**. Lavoisier Publishing, Paris.
- Bull, M.K., Zerdin, K., Howe, E., Goicoechea, D., Paratnanandhan, P., Stockman, R., Sellahewa, J., Szabo, E.A., Johnson, R.L. and Stewart, C.M. 2004. The effect of high pressure processing on the microbial, physical and properties of Valencia and Navel orange juice. **Innovative Food Science & Emerging Technologies**. 5(2): 135-149.
- Burdurlu, H.S., Koca, N. and Karadeniz, F. 2006. Degradation of vitamin C in citrus juice concentration during storage. **Journal of Food Engineering**. 74: 211-216.
- Butz, P., Serfert, Y., Garcia, F.A., Dieterich, S., Lindauer, R., Bognar, A., and Tauscher, B. 2004. Influence of high-pressure Treatment at 25°C and 80°C on folates in orange juice and model media. **Journal of Food Science**. 69(3): 117-121.
- Ceamsa Compañía Española de Algas Marinas S.A. Carrageenan. 2005. Available on: <http://www.ceamsa.com/CeamsaHome.asp>. [2007, 2 July].

- Chaisawadi, S., Thongbutr, D., Kulamai, S., Methawiriyasilp, W. and Juntawong P. 2003. Clean Production of Commercial Freeze-Dried Lime Powder for Medicinal Herb and Nutritional Health Benefits. The 3rd World Congress on Medicinal and Aromatic Plants for Human Welfare, February 3-7th, Chiang Mai, Thailand. Available on:
http://www.scisoc.or.th/stt/31/sec_n/paper/stt31_N0013.pdf.
 [2005, 12 September].
- Chandler, B. V. 1971. Some solubility relationships of limonin. Their importance in orange juice bitterness. **CSIRO Food Research Quarterly**. 31: 36- 40.
- Chandler, B.V. and Johnson, R.L. 1977. Cellulose acetate as a selective sorbent for limonin in orange juice. **Journal of the Science of Food and Agriculture**. 28: 875-884.
- Chaplin, M. 2007. Water structure and science: Gum Arabic. Available on:
<http://www.lsbu.ac.uk/water/hyarabic.html>. [2007, 15 June].
- Cecil, C.O. Saudi Aramco World: Carboxymethylcellulose (CMC). 2007. Available on: <http://www.lsbu.ac.uk/water/hycmc.html>. [2007, 1 April].
- Cecil, C.O. Saudi Aramco World: Gum Arabic. 2007. Available on:
<http://www.saudiaramcoworld.com/issue/200502/gum.arabic.htm>
 [2007, 1 April].
- Cheftel, J.C. 1992. Effects of high hydrostatic pressure on food constituents: an overview. In C. Balny, R. Hayashi, K. Heremans, P. Masson (Eds.), **High pressure and biotechnology** (pp. 195 –209). INSERM/John Libbey Eurotext, Paris.
- Cheftel, J.C. and Culioli, J. 1997. Effect of high-pressure on meat. **Meat Science**. 46(3): 211-236.
- Chen, C.S., Shaw, P.E and Parish, M.E. 1993. Orange and tangerine juices. In Nagy, S., Chen, C.S. and Shaw, P.E. (Eds.), **Fruit Juice Processing Technology** (pp 110-165). Agscience, Florida
- Clegg, M. 1966. Citric acid and the browning of solutions containing ascorbic acid. **Journal of the Science of Food and Agriculture**. 17: 546-549.
- Colloïdes Naturels International (CNI). 2007. Acasia gum. Available on:
<http://www.cniworld.com/>. [2007, 15 June].

- Council of Scientific and Industrial Research of India. 1996. **The wealth of India : A dictionary of India raw materials and industrial products.** vol. 3. New Delhi, India.
- Croak, S. and Corredig, M. 2006. The role of pectin in orange juice stabilization: Effect of pectin methylesterase and pectinase activity on the size of cloud particles. **Food Hydrocolloids.** 20(7): 961-965.
- Deak T. and Beuchat, LR. 1996. **Handbook of food spoilage yeasts.** CRC Press, New York.
- Deliza, R., Rosenthal, A., Abadio, F.B.D., Silva, C.H.O. and Castillo, C. 2005. Application of high pressure technology in the fruit juice processing: benefits perceived by consumers. **Journal of Food Engineering.** 67: 241–246.
- Dickinson, E. 2003. Hydrocolloids at interfaces and the influence on the properties of dispersed systems. **Food Hydrocolloids.** 17: 25-39.
- Dreyer, D.L. 1966. Citrus Bitter Principles VI. Ichangin. **Journal of Organic Chemistry.** 31(7): 2279-2281.
- Drohan, D.D., Tziboula, A., McNulty, D. and Horne, D.S. 1997. Milk protein–carrageenan interactions. **Food Hydrocolloids.** 11: 107.
- Earnshaw, R. 1996. High pressure food processing. **Nutrition and Food Science.** 2: 8-11.
- Ehler, J.T. 2002. Key lime (*Citrus aurantifolia*). Available on: <http://foodreference.com/html/artkeylimes.html>. [2005, 12 September].
- Elmhurst Research, Inc., 1999. Brief history of high pressure equipment. Available on: http://www.elmhurstresearch.com/high_pressure equip.htm. [2005, 12 September].
- Farkas, D.F. and Hoover, D.G. 2000. High Pressure Processing. Kinetics of Microbial Inactivation for Alternative Food Processing Technologies. **Journal of Food Science.**, 65(4): 47-64.
- Farr, D. 1990. High pressure technology in the food industry. **Trends Food Science and Technology.** 1: 14-16.
- Fennema, O.R. 1996. **Food Chemistry.** Marcel Dekker, New York.

- Fong, C.H., Hasegawa, S. and Miyake, M. 1993. Limonoids and their glucosides in Valencia Orange seeds during fruit growth and development. **Journal of Agricultural & Food Chemistry**. 41(1): 112-115.
- Food and Drug Administration: Center for Food Safety & Applied Nutrition. 2001. Bacteriological Analytical Manual: BAM. AOAC International [online]. Available on: <http://www.cfsan.fda.gov/~ebam/bam-mm.html>. [2005, 12 September].
- Galazka, V.B., Ledward, D.A., Dickinson, E. and Langley, K.R. 1995. High pressure effects on emulsifying behavior of whey protein concentrate. **Journal of food science**. 60(6): 1341-1343.
- Genovese, D.B. and Lozano, J.E. 2001. The effect of hydrocolloids on the stability and viscosity of cloudy apple juices. **Food Hydrocolloids**. 15: 1-7.
- Gharagozloo, M. and Ghaderi, A. 2001. Immunomodulatory effect of concentrated lime juice extract on activated human mononuclear cells. **Journal of Ethnopharmacology**. 77(1): 85-90.
- Gibbs, B.F., Kermasha, S., Alli, I. and Mulligan, C.N. 1999. Encapsulation in the food industry: a review. **International Journal of Food Sciences and Nutrition**. 50: 213-224.
- Glicksman, M. 1982. **Food hydrocolloids**. vol.1. CRC Press, Inc. Boca Raton., Florida.
- Gordon, L.R. and Sammaniego-Esquerro, M.C. 1990. Effect of soluble solids and temperature on ascorbic acid degradation in lemon juice stored in glass bottles. **Journal of Food Quality**. 13: 361-374.
- Guadagni, D. G., Vincent, P. M. and Turnbaugh, J.G. 1974. Effect of sub-threshold concentrations of limonin, naringin and sweeteners on bitterness perception. **Journal of the Science of Food and Agriculture**. 25: 1349-1354.
- Handwerk, R.L. and Coleman, R.L. 1988. Approaches to citrus browning problem. A review. **Journal of Agricultural and Food Chemistry**., 36: 231-236.
- Hanmhongkolphipat, P. 2004. **Statistics and Experimental Design in Agriculture**. 2nd edition. Kasetsart University, Bangkok.

- Hasegawa, S., Bennett, R.D. and Verdon, C.P. 1980. Limonoids in citrus seeds: Origin and relative concentration. **Journal of Agricultural and Food Chemistry**. 28: 922-924.
- Hasegawa, S., Berhow, M.A. and Fong, C.H. 1995. **Fruit Analysis**. USDA, Albany, California. Berlin Co., Western Regional Research Center. New York.
- Hasegawa, S., Fong, C.H., Herman, Z., and Miyake, M. 1992. Glucosides of limonoids. In Teranishi, R., Teraoka, G. and Gunter, M (Eds.), **Flavor precursors** (pp. 87-97). American Chemical Society, Washington, DC.
- Hasegawa, S. and Maier, V.P. 1990. The Biochemistry of Limonoid Citrus Juice Bitter Principles and Biochemical Debittering Processes. **Developments in Food Science**. 25: 281-287.
- Hasegawa, S. and Miyake, M. 1996. Biochemistry and biological functions of citrus limonoids. **Food Review International**. 12: 413-435.
- Hasegawa, S., Pelton, V.A. and Bennett, R.D. 1983. Metabolism of limonoids by *Arthrobacter globiformis* II Basis for a Practical Means of Reducing Limonin Content of Orange Juice by Immobilized Cells. **Journal of Agricultural & Food Chemistry**. 31(5): 1002-1004.
- Hayashi, R., 1989. Application of high pressure to food processing and preservation: Philosophy and development. In Spices, W.E.L. and Schubert, H. (Eds.), **Engineering and Food** (pp 815–826). Elsevier Applied Science, London.
- Heremans, K. 1995. : “High pressure effects on biomolecules”. In Ledward, D., Johnston, D., Earnshaw, R. and Hasting, A. (Eds.), **High pressure processing of foods** (pp.81-97). University Press, Nottingham Nottingham.
- Heremans, K. and Smeller, L. 1998. Protein structure and dynamics at high pressure. **Biochimica et Biophysica Acta**. 1386: 353-370.
- Hocking, A.D. and Jensen, N. 2001. Soft drinks, cordials, juices, bottled water and related products. In **Spoilage of processed foods: causes and diagnosis** (pp.93 –94). AIFST Inc. Food Microbiology Group, Waterloo. New South Wales.
- Hoover, D.G., Metrick, C., Papineau, A.M., Farkas, D.F. and Knorr, D. 1989. Biological effects of high hydrostatic pressure on food microorganisms. **Journal of Food Technology**. 43(3): 99-107.

- Houska, M., Strohalm, J., Kocurova, K., Totusek, J., Lefnerova, D., Triska, J., Vrchotova, D., Fiedlerova, V., Holasova, M., Gabrovska, D. and Paulickova, I. 2006. High pressure and foods—fruit/vegetable juices. **Journal of Food Engineering**. 77: 386–398.
- IFT. Institute of Food Technologists. 2001. IFT's comments to FDA regarding "Fresh" labeling. **Food Technology**. 55(2): 66.
- Johnson, J.R., Braddock, R.J. and Chen, C.S. 1995. Kinetics of ascorbic acid loss and non-enzymatic browning in orange juice serum: Experiment rate constants. *Journal of Food Science*. 60(3): 502-505.
- Joslyn, M.A. and Pilnik, W. 1961. Enzymes and enzyme activity. In W. B. Sinclair (Ed.), **The Orange, its biochemistry and physiology** (pp. 373-435), University of California Press, Berkeley, CA.
- Kaanane, A., Kane, D. and Labuza, TP. 1988. Time and temperature effect on stability of Moroccan processed orange juice during storage. **Journal of Food Science**. 53: 1470-1473.
- Kale, P.N. and Adsule, P.G. 1995. **Citrus: Handbook of fruit science and technology-production, composition, storage and processing**. Van Nostrand Reinhold, New York.
- Kampf, N. and Nussinovitch, A. 1997. Rheological characteristics of κ -carrageenan soy milk gels. **Food Hydrocolloids**. 11: 261.
- Kasemsuksakul, N. and Noomhorm, A. 1992. Effect of maturity and processing on bitter compounds in Thai tangerine juice. **International Journal of Food science and technology**. 27: 65-72.
- Katzer, G. 2002. Lime [*Citrus aurantifolia* (Christm. et Panz.) Swingle]. Available on: http://www-ang.kfunigraz.ac.at/~katzer/engl/Citr_aur.html. [2006, 29 September].
- Kefford, J.F. and Chandler, B.V. 1970. **The chemical constituents of citrus fruits**. New York: Academic Press.
- Kertesz, Z.I. 1951. **The Pectic Substances**. New York: Interscience Publishing Inc.
- Kimball, D.A. 1991. **Citrus processing quality control and technology**. An AVI book, New York.

- Kimball, D.A. 1999. **Citrus processing : A complete guide**. 2nd ed. Aspen publisher, Gaithersburg, Maryland.
- Kilm M, Nagy S. 1988. An improved method to determine non-enzymatic browning in citrus juices. **Journal Agricultural Food Chemistry**. 36: 1271-1274.
- Knorr, D., Ade-Omowaye, B.I.O. and Heinz, V. 2002. Nutritional improvement of plant foods by non-thermal processing. **Proceedings of the Nutrition Society**. 61(2): 311-318.
- Koca, N., Burdurlu, H.S. and Karadeniz, F. 2003. Kinetics of nonenzymatic browning reaction in citrus juice concentrates during storage. **Turkish J. of Agricultural and Forestry**. 27: 353-360.
- Kolakowski, P., Dumay, E. and Cheftel, J.C. 2001. Effects of high pressure and low temperature on β -lactoglobulin infolding and aggregation. **Food Hydrocolloids**. 15: 215-232.
- Lee, H.S. 1992. Antioxidative activity of browning reaction products isolated from storage-aged orange juice. **J. Agricultural Food Chemistry**. 40: 550-552.
- Liang, C., Hu, X., Ni, Y., Wu, J., Chen, F. and Liao, X. 2006. Effect of hydrocolloids on pulp sediment, white sediment, turbidity and viscosity of reconstituted carrot juice. **Food Hydrocolloids**. 20: 1190–1197.
- Liogier, H.A. 1988. **Descriptive flora of Puerto Rico and adjacent islands, Spermatophyta**. Vol. 2. de la Universidad de Puerto Rico, Río Piedras, PR.
- Liogier, H.A. 1990. **Plantas medicinales**. Iberoamericana de Ediciones, Inc., San Juan.
- Little, E.L. and Wadsworth, F.L. 1964. **Common trees of Puerto Rico and the Virgin Islands**. U.S. Department of Agriculture, Washington, DC.
- Lopez-malo, A., Palou, E., Barbosa-Canovas, G.V., Welti-Chanes, J. and Swanson, B.G. 1998. Polyphenoloxidase activity and color changes during storage of high hydrostatic pressure treated avocado puree. **Food Research International**. 31(8): 549-556.
- MacDermid Incorporated. 2005. Lab Color Space Model. Available on : <http://www.colorsapn.com/support/tutorials/cmpl/lab.asp> [2006, 31 October].

- Maier, V.P., Bennet, R.D. and Hasegawa, S. 1977. Limonoids and other limonoids. Vol.1. In Nagy, S., Shaw, P.E. and Veldhuis, M.K. (Eds.), **Citrus science and technology** (pp 355-396). AVI Publishing Co., Westport.
- Maier, V.P. and Beverly, G.D. 1968. Limonin monolactone, the nonbitter precursor responsible for delayed bitterness in certain citrus juices. **Journal of Food Science**. 33: 488-492.
- Maier, V.P. and Margileth, D.A. 1969. Limonoic acid A-ring lactone, a new limonin derivative in Citrus . **Phytochemistry**. 8(1): 243-248.
- Maier, V.P., Brewster, L.C. and Hsu, A.C. 1973. Ethylene-accelerated limonoid metabolism in citrus fruit: A process for reducing juice bitterness. **Journal of Agricultural & Food Chemistry**. 21(3): 490-495.
- Maier, V.P., Hasegawa, S., Bennet, R.D. and Echols, L.C. 1980. Limonin and limonoids: Chemistry, biochemistry, and juice bitterness. **Journal of the American Chemical Society**. 43: 63-82.
- Marcy, J.E., Graumlich, T.R., Crandall, P.G. and Marshall, M.R. 1984. Factors affecting storage of orange concentrated. **Journal of Food Science**. 49: 1628-1629.
- Mark, A.B., Hasegawa, S. and Gary, D.M. 2000. **Citrus limonoids : functional chemicals in agriculture and food**. American Chemical Society, Washington, DC.
- Mata, L., Vargas, C., Saborio, D. and Vives, M. 1994. Extinction of *Vibrio cholerae* in acidic substrata: contaminated cabbage and lettuce treated with lime juice. **Revista de biología tropical**. 42(3): 487-492.
- Matthews, R.F., Rouseff, R.L., Manlan, M. and Norman, S.I. 1990. Removal of limonin and naringin from citrus juice by styrene-divinylberizene resins. **Food Technology**. 44(4): 130-132.
- McIntosh, C.A. and Mansell, R.L. 1997. Three-dimensional distribution of limonin, limonoate A-ring monolactone, and naringin in the fruit tissues of three varieties of citrus paradise. **Journal of Agriculture and Food Chemistry**. 45: 276-283.

- McIntosh, C.A., Mansell, R.L. and Barros, S. 1987. Relationship between limonin concentration and Naringin concentration in commercial single strength juice. **J. of Food Science**. 52: 1734.
- Mertens, B. and Deplace, G. 1993. Engineering aspects of high-pressure technology in the food industry. **Food Technology**. 52(6): 164-169.
- Metrick, C, Hoover, D.G. and Farkas, D.F. 1989. Effects of high hydrostatic pressure on heat resistance and heat sensitive strains of salmonella. **J. Food Science**. 54(6): 1547-1549.
- Moody, V. 2003. **Thermal inactivation kinetics of *Escherichia coli* and *Alicyclobacillus acidoterrestris* in orange juice**. Ph.D. thesis. University of Florida. United States of America.
- Morild, E. 1981. The theory of pressure effects on enzymes. **Advances in Protein Chemistry**. 34: 93-106.
- Morton, J.F. 1987. *Citrus aurantifolia* Swingle, from: Fruits of warm climates. Available on: http://www.hort.perdue.edu/newcrop/morton/mexican_lime.html. [2006, 29 September].
- Mussa, D.M. 1999. **High pressure processing of milk and muscle foods: Evaluation of process kinetics, safety and quality changes**. Ph.D. Thesis. McGill University, Canada.
- Nagy, S. 1980. Vitamin C contents of citrus fruit and their products: a review. **Journal of Agricultural and Food Chemistry**. 28(1): 8-18.
- Nagy, S., Chen, S.C. and Shaw, P.E. 1993. **Fruit juice processing technology**. Agscience, Auburndale. Florida.
- Nagy, S., Shaw, P.E. and Veldhuis, M.K. 1977. **Citrus science and technology: Nutrition, anatomy, chemical, composition and bioregulation**. vol.1. AVI publishing, United state of America.
- Neill, M. (1989). *E. coli* (O157:H7) current concepts and future prospects. **Journal Food Safety**. 10: 99-106.
- Nelson, G. 1996. **The shrubs and woody vines of Florida**. Pineapple Press Inc., Florida.


- Nienaber, U. and Shellhammer, T.H. 2001. High Pressure processing of orange juice: kinetics of pectin methyl esterase inactivation. **Journal Food Science**. 66(2): 328-331.
- Nussinovitch, A. 1997. **Hydrocolloid applications: Gum technology in the food and other industries**. Blackie Academic & Professional, London.
- Nussinovitch, A. 2003. **Water-soluble polymer applications in foods**. Blackwell Science, Oxford.
- Ogawa, H., Fukuhisa, K., Kubo, Y. and Fukumoto, H. 1990. Pressure inactivation of yeasts, molds, and pectinesterase in Satsuma mandarin juice: effects of juice concentration, pH, and organic acids, and comparison with heat sanitation. **Agricultural and Biological Chemistry**. 54: 1219 –1225.
- Ogawa, H., Fukuhisa, K., and Fukumoto, H. 1992. Effect of hydrostatic pressure on sterilization and preservation of citrus juice. In Balny, C., Hayashi, R., Heremans, K. and Masson, P. (Eds.), **High pressure and Biotechnology** (pp. 269-278), John Libbey Co., London.
- Ohmiya, K., Fukami, K., Shimizu, S. and Gekko, K. 1987. Milk curdling by rennet under high pressure. **Journal Food Science**. 52: 84-87.
- Olsson, S. 1995. Production equipment for commercial use. In Ledward, D., Johnston, D., Earnshaw, R. and Hasting, A.(Eds.), **High pressure processing of food** (pp. 167-180), Nottingham University Press, Nottingham.
- Pandey, P.K., Ramaswamy, H.S. and St-Gelais, D. 2000. Water-holding capacity and gel strength of rennet curd as affected by high-pressure treatment of milk. **Food Research International**. 33: 655-663.
- Pangborn, R. M., Gibbs, Z. M. and Taxan, C. 1978. Effect of hydro-colloids on apparent viscosity and sensory properties of selected beverages. **Journal Texture Studies**. 9: 415-436.
- Palou, E., Lopez-Malo, A., Barbosa-Canovas, G.V. and Swanson, B.G. 1999. : “High pressure treatment in food preservation”. In M.S. Rahman (Ed.), **Handbook of Food Preservation** (pp. 533-576), Marcel Dekker Inc., New York.
- Pao, S., Petracek, P.D. and Ismail, M.A. 1997. **Advances in preparing peeled fresh-cut citrus**. Food Technology Int., England.

- Parish, M.E. 1998. Orange Juice Quality after Treatment by Thermal Pasteurization or Isostatic High Pressure. **Lebensmittel-Wissenschaft und Technologie**. 31: 439–442.
- Parish, M.E. 1998. High pressure inactivation of *Saccharomyces cerevisiae*, endogenous microflora and pectinmethylesterase in orange juice. **Journal of Food Safety**., 18(1) : 57–65.
- Phillips, G.O. and Williams, P.A. 2000. Handbook of Hydrocolloids. Knovel Corporation. Woodhead Publishing. Available on: <http://www.knovel.com/knovel2/Toc.jsp?BookID=168>. [2007, 1 July].
- Phillips, G.O., Ogasawara, T. and Ushida, K. 2008. The regulatory and scientific approach to defining gum arabic (*Acacia Senegal* and *Acacia seyal*) as a dietary fibre. **Food Hydrocolloids**. 22(1): 24-35
- Piossasco, S. Natural Gums and raw materials. 2007. Gum arabic. Available on: http://www.gasid.it/prodotti/inglese/gommaarabica_1.html. [2007, 1 July].
- Polydera, A.C., Stoforos, N.G. and Taoukis, P.S. 2003. Comparative shelf life study and vitamin C loss kinetics in pasteurized and high pressure processed reconstituted orange juice. **Journal of Food Engineering**. 60: 21–29.
- Polymerkjemi Research. Pectins structure. 2007. Available on: <http://www.kjemi.uio.no/Polymerkjemi/Research/pectin.jpg> [2007, 12 July].
- Premi, B.R., Lal, B.B. and Joshi, V.K. 1995. Efficacy of various techniques for removing bitter principles in Kinnow juice. **Journal of Food Science and Technology**. 32: 332-335.
- Raksaphort, S. and Soontarapa, K. 2005. **Reduction of bitterness in orange juice using chitosan**. The First Mathematics and Physical Science Graduate Congress 2005. Bangkok, Thailand.
- Riahi, E. 2003. **Effect of high pressure treatment on the kinetics of enzyme inactivation and microbial destruction in apple juice**. Ph.D. thesis. Macdonald Campas of McGill University Montreal, Canada.
- Roig, M.G., Bello, J.F., Rivera, Z.S. and Kennedy, J.F. 1999. Studies on the occurrence of non-enzymatic browning during storage of citrus juice. **Food Research International**., 32 : 609-619.

- Rouseff, R.L. 1980. : “Flavonoids and citrus quality”. In Nagy, S and Attaway (Ed.), : **Citrus nutrition and quality**. American Chemical Society, Washington, DC.
- Saguy, I., Kopelman, I.J. and Mizrahi, S. 1978. Simulation of ascorbic acid stability during heat processing and concentration of grapefruit juices. **Journal of Food Process Engineering**. 2: 213-225.
- Sanchez, C., Renard, D., Robert, P., Schmitt, C. and Lefebvre, J. 2002. Structure and rheological properties of acacia gum dispersions. **Food Hydrocolloids**. 16: 257-267.
- Seyderhelim, I., Boguslawsky, S., Michadis, G. and Knorr, D. 1996. Pressure induced inactivation of selected food enzymes. **Journal Food Science**. 61(2): 108-310.
- Sizer, C.E., Waugh, P.L., Edstam, S. and Ackerman, P. 1988. Maintaining flavor and nutrient quality of aseptic orange juice. **Food Technology**. 42: 152-159.
- Solomon, O., Svanberg, U. and Sahlstrom, A. 1995. Effect of oxygen and fluorescent light on quality of orange juice during storage at 8°C. **Food Chemistry**. 53: 363-368.
- Somrutai, J., Chantachum, S., Ratanaphan, A. and Chantrapromma, K. 2005. Available at: [http://ejeafche.uvigo.es/4\(3\)2005/432005.pdf](http://ejeafche.uvigo.es/4(3)2005/432005.pdf). [2005, 12 September].
- Stipple, V.M., Delagado, A. and Becker, T.M. 2002. Optical method for the in-situ measurement of the pH-value during high pressure treatment of foods. **High Pressure Research**. 22: 757-761.
- Styles, M.F., Hoover, D.G. and Farkas, D.F. 1991. Response of *Listeria monocytogenes* and *Vibrio parahaemolyticus* to high hydrostatic pressure. **Journal Food Science**. 56: 1404-1407.
- Suarez, L.E.C., Menichini, F. and Monache, F.D. 2002. Tetranortriterpenoids and dihydrocinnamic acid derivatives from *Hortia colombiana*. **Journal of Brazilian Chemical Society**. 13: 339-344.
- Tauscher, B. 1995. Pasteurization of food by hydrostatic high pressure: chemical aspects. **Z Lebensmittel-Untersuchung und- Forschung**. 200(1): 3-33.
- Thumthanarak, B. 2002. **The effect of high pressure processing on polyphenoloxidase**. Ph.D. thesis. The Ohio States University.

- Ting, S.V. and Rouseff, R.L. 1980. **Citrus fruit and their products : Analysis and technology**. MerceL Dekker, New York.
- UK High pressure club for food processing. Food preservation and pressure (online). 2007. Available :
<http://www.highpressure.org.uk/science.htm> [2007, 28 June].
- University of California, Los Angeles (UCLA). Botany textbooks : Citrus. 2007. Available on:
<http://www.botgard.ucla.edu/html/botanytextbooks/economicbotany/Citrus/b1241tx.html>. [2007, 28 June].
- Vaks, B. and Lifshitz, A. 1981. Debittering of orange juice by bacteria which degrade limonin. **Journal Agricultural Food Chemistry**. 29(6): 1258-1261.
- Van den Berg, R.W., Hoogland, H., Lelieveld, H.L.M., and Van Schepdael, L. 2002. High pressure equipment designs for food processing applications. In Hendrickx, M.E.G. and Knorr, D (Eds.), **Ultra High Pressure Treatments of Foods** (pp 23-51). Kluwer Academic/Plenum Publishers, New York.
- Verbeken, D., Dierckx, S. and Dewettinck, K. 2003. Exudate gums: occurrence, production, and applications. **Applied Microbiology and Biotechnology**. 63: 10-21.
- Vila Real, H.J., Alfaia, A.J., Calado, A.R.T. and Ribeiro, M.H.L. 2007. High pressure-temperature effects on enzymatic activity: Naringin bioconversion. **Food Chemistry**. 102: 565–570.
- Wattanaphahu, S. 2002. **Extended shelf-life of *Citrus aurantifolia* (Chistm) Swingle juice by chemical and physical method**. Ph.D. thesis., University of Kasertsart, Thailand.
- Williams, P.A. and Phillips, G.O. 2001. **Handbook of hydrocolloid**. CRC Press. Cambridge, England.
- Wilson, C.W., Wanger, C. and Shaw, P.E. 1989. Reduction of bitter components in grape fruit and naval orange juices with beta-cyclodextrin polymers or XAD resins in fluidized bed process. **Journal Agricultural Food Chemistry**. 37(1): 14-18.
- Wiriyajare, P. 2002. **Sensory evaluation**. Department of Product and Development Technology. Faculty of Agro-Industry. Chiang Mai University, Thailand.

- Wood, R. 1988. **The Whole foods encyclopedia**. Prentice-Hall Press, New York.
- Yamasaki, M., Yasui, T. and Arima, K. 1964. Pectic enzyme in the clarification of apple juice. **Agronomical and Biological Chemistry**. 28: 779–787.
- Yaylayan, V. 1990. In search of alternative mechanisms for the Maillard reaction. **Trends in Food Science and Technology**. 1(7): 20-22.
- Zook, C. D., Parish, M. E., Braddock, R. J. and Balaban, M. O. 1999. High pressure inactivation kinetics of *Saccharomyces cerevisiae* ascospores in orange and apple juices. **Journal of Food Science**. 64(3): 533–535.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved